



**SAFETY
COLLECTION**

KASK

PERFORMANCE IS
A BEAUTIFUL THING.





KASK

KASK

I N D E X

OUR MISSION OUR PASSION	6
20 YEARS TO A GLOBAL NETWORK	8
KASK TIMELINE	10
THE KASK DIFFERENCE	14
KASK ROTATIONAL IMPACT WG11 TEST	22
HEAD PROTECTION	24
HEAD PROTECTION STANDARDS	25
ZENITH X	28
OVERVIEW OF TECHNOLOGIES	30
ZENITH X	34
ZENITH X HI VIZ	36
ZENITH X AIR	38
ZENITH X AIR HI VIZ	40
ZENITH X PL	42
ZENITH X PL HI VIZ	44
ZENITH X COMBO	46
ZENITH X AIR COMBO	48
ZENITH X PL COMBO	50
PRIMERO	52
OVERVIEW OF TECHNOLOGIES	54
PRIMERO	58
PRIMERO HI VIZ	60
PRIMERO AIR	62
PRIMERO AIR HI VIZ	64
PRIMERO PL	66
PRIMERO PL HI VIZ	68
SUPERPLASMA	70
OVERVIEW OF TECHNOLOGIES	72
SUPERPLASMA AQ	76
SUPERPLASMA AQ HI VIZ	78
SUPERPLASMA PL	80
SUPERPLASMA PL HI VIZ	82
SUPERPLASMA HP	84
SUPERPLASMA HP VISOR	86
EYE & FACE PROTECTION	88
EYE & FACE PROTECTION STANDARDS	89
OVERVIEW OF TECHNOLOGIES	92
HEARING PROTECTION	102
OVERVIEW OF TECHNOLOGIES	104
WEATHER PROTECTION	108
OVERVIEW OF TECHNOLOGIES	110
HEADLAMPS	116
OVERVIEW OF TECHNOLOGIES	118
OTHER ACCESSORIES	122
CUSTOM PRINTING AS EASY AS 1, 2, 3	124
SPARE PARTS	126
SALES SUPPORT	128
ZENITH X FULL RANGE	132
PRIMERO FULL RANGE	134
SUPERPLASMA FULL RANGE	136




OUR MISSION.

Develop helmets
that exceed the
strictest global safety
protection standards.

— 6

OUR PASSION.

Designing helmets
for all-day comfort
and optimal worker
performance.





"Every great adventure starts in your head. We take care of it. We create and develop advanced helmets that combine comfort, safety, and design to look just as great as they perform."

KASK CEO Angelo Gotti

KASK IN THE WORLD

20 YEARS TO A GLOBAL NETWORK.




KASK AMERICA
Est. 2010

— 8

 3

Global
offices




Started in 2004, KASK has built an industry-leading global team of engineers, product specialists, and premier partners.



KASK ITALIA
Headquarters
Est. 2004



KASK AUSTRALIA
Est. 2014



2004

R&D

KASK is founded to develop advanced helmet safety improvements for OEM customers.

2008

SAFETY

KASK shifts from OEM supplier to manufacturer to accelerate innovations in industrial helmets.

2006

CYCLING

KASK brings safety, comfort, and design helmet philosophies to demanding cycling market.

2009

SNOW

KASK performance benefits are extended to meet the challenging applications of winter sport enthusiasts.

2011

URBAN

KASK comfort and design competencies are extended into the emerging consumer markets.

2016

KOO EYEWEAR

KASK launches new performance eyewear brand to deliver integrated head and eye protection solutions.

2015

EQUESTRIAN

KASK recognizes a gap in protection and performance in equestrian helmets, and delivers advanced design and innovative features.

2021

VOGEL

KASK acquires Vogel, an American bespoke equestrian footwear brand, sharing the same values of luxury, service, and quality with a dedication to craftsmanship.



KASK






THE KASK DIFFERENCE.

Delivering performance
helmets requires:

- > a dedication to SAFETY
- > a commitment to COMFORT
- > a passion for DESIGN





KASK



SAFETY.

Engineered to exceed the strictest global safety protection standards.



The first to introduce high-density polystyrene interior for a complete whole head protection.



Offices in Europe, Australia, and North America ensure KASK helmets exceed global safety standards.



The first to standardize chinstrap systems to ensure consistently secure head protection.




COMFORT.

New technologies that increase worker confidence for all-day performance.




Ratchet fit systems enable comfort as the wearer's head moves ensuring firm helmet stability.



Integrated ventilation systems that channel airflow through the helmet for all-day comfort.



Advanced materials and fabrics wick away moisture to keep workers cool and dry.







DESIGN.

Uncompromising attention to details that produces helmets workers *want* to wear.



Designed with easily replaceable components to ensure helmets are a long-lasting investment.



A suite of advanced, fully integrated accessories that allow all helmets to be customized for your needs.



Recognized by the global design community for exceptional attention to form and function.



KASK ROTATIONAL IMPACT WG11 TEST.

Every KASK helmet is tested for rotational impact performance.



— 22

KASK has always been committed to creating products that provide both excellent safety and comfort, exceeding requirements set by international standards and norms.

KASK WG11 test is an internal protocol adopted by KASK to identify an objective method, based on scientific sources, for measuring the performance of its helmets against rotational impacts.

Most helmets tests use rotational impact prevention technologies with headforms that have a higher coefficient of friction than those of the human skull and therefore may not reflect what occurs in some accidents.

The “pass-fail” criterion is based on the BrIC value, an algorithm that defines the level of brain injury. This value must be lower than 0,68.

The final test protocol is:

OBLIQUE IMPACT TESTS:

oblique tests @ 45°, impact speed 4,5 m/s, BrIC < 0,68

+ grade 80 closed-coat aluminum oxide abrasive paper

+ headform nominal coefficient of friction 0,3

+ wireless system: triaxial accelerometer + n. 3 ARS

Headform: EN 960 series

Measurements: Peak of rotational acceleration, Peak of linear acceleration, HIC, BRIC (< 0,68)



All KASK helmets successfully pass this test with values that are substantially less than 0,68 BrIC 0,39.

HIGHER RISK OF BRAIN INJURY: >0.68

KASK PROTECTION: <0.39

ROTATIONAL IMPACT WG11 TEST PASSED is a KASK registered trademark.

The ROTATIONAL IMPACT TEST PASSED is a KASK internal oblique impact test that measures the performance of its helmets against rotational impacts. This Test has not been adopted by CEN or its Working Group CEN TC158/Working Group 11.

HEAD PROTECTION

— 24

GLOBAL ICONS

KASK safety helmets have become recognized around the world for their exceptional safety, attention to design details, and worker comfort.



OVERVIEW OF SELECT STANDARDS FOR KASK HELMETS

EUROPEAN STANDARDS

EN 397

The European safety standard for industrial helmets covering top impact absorption, penetration resistance, flame resistance, and chinstrap requirements with additional optional testing.

IMPACT & PENETRATION

- Meets top of head protection requirements

CHINSTRAP STRENGTH

- Withstands >15 kg to reduce risk of coming off in a fall
- Not exceed < 25 kg to reduce risk of strangulation if snagged

OPTIONAL TESTING

- Electrical Insulation (440 Volts)
- Extreme Temperature Resistance
- Molten Metal Splash Protection
- Lateral Deformation

EN 12492

The European safety standard for climbing and mountaineering helmets covering top and lateral impact absorption, penetration resistance, and chinstrap requirements.

IMPACT & PENETRATION

- Meets top of head and lateral protection requirements

CHINSTRAP STRENGTH

- Withstands > 50 kg to reduce risk of coming off in a fall
- Chinstrap is only able to stretch up to 25mm max
- Helmet must not be able to slide from head

EN 14052

The European High Performance industrial standard for high risk environments covering top and lateral impact absorption, penetration resistance, and chinstrap requirements with additional optional testing.

IMPACT & PENETRATION

- Meets high level top of head & lateral protection requirements

CHINSTRAP STRENGTH

- Withstands >15 kg to reduce risk of coming off in a fall
- Not exceed < 25 kg to reduce risk of strangulation if snagged

OPTIONAL TESTING

- Molten Metal Splash Protection
- Performance at higher and lower temperatures
- Resistance to radiant heat
- Electrical properties

EN 50365

Supplemental to EN397. The European testing method for electrical insulation helmets in low voltage environments.

REQUIREMENTS

- Helmet must meet requirements in accordance with EN397
- Helmet must not contain any conductive parts
- Air vents (if applicable) must not allow contact with live parts

ELECTRICAL INSULATION FOR A CLASS 0 MUST MEET EITHER/OR

- Protection against alternating voltage up to 1,000 Volts AC
- Protection against direct voltage up to 1,500 Volts DC



AMERICAN STANDARDS

ANSI Z89.1

The U.S. safety standard for industrial helmets covering impact absorption, penetration resistance, flame resistance, and electrical insulation ratings.

HELMET TYPE

TYPE 1 – Meets top of head protection requirements

TYPE 2 – Meets top and lateral protection requirements

ELECTRICAL INSULATION

CLASS C – Conductive - No electrical protection

CLASS G – General - withstands 2,200 Volts

CLASS E – Electrical - withstands 20,000 Volts

OPTIONAL TESTING

- Meets low or high temperature operating ranges

CANADIAN STANDARDS

CSA Z94.1

The Canadian safety standard for industrial helmets covering impact absorption, penetration resistance, flame resistance, and electrical insulation ratings.

HELMET TYPE

TYPE 1 – Meets top of head protection requirements

TYPE 2 – Meets top and lateral protection requirements

ELECTRICAL INSULATION

CLASS C – Conductive - No electrical protection

CLASS G – General - withstands 2,200 Volts

CLASS E – Electrical - withstands 20,000 Volts

OPTIONAL TESTING

- Helmet can be worn backwards and meet standards

AUSTRALIAN & NEW ZEALAND STANDARDS

AS/NZS 1801

The Australian safety standard for industrial helmets covering impact absorption, penetration resistance, flame resistance, and electrical insulation ratings.

HELMET TYPE

TYPE 1 – Meets top and lateral protection requirements

TYPE 2 – Meets high temperature workplace requirements

TYPE 3 – Meets bushfire fighting requirements

ELECTRICAL INSULATION




- Operation up to 650 Volts

OPTIONAL TESTING

- Meets low or high temperature operating ranges
- Flame Resistance

KASK HELMETS EXCEEDING SAFETY STANDARDS

		TOP IMPACTS		PENETRATION OF OBJECTS	SIDE, FRONT AND REAR IMPACTS	CHINSTAP RELEASE
	ZENITH X ZENITH X HI VIZ EN 397 - EN 50365	●	●	●	● K	●
		5 kg from 1 m 100 J		3 kg from 1 m 30 J	5 kg from 0,5 m 25 J	> 15 kg < 25 kg
	ZENITH X AIR ZENITH X AIR HI VIZ EN 397 - EN 50365	●	●	●	● K	●
		5 kg from 1 m 50 J		3 kg from 1 m 30 J	5 kg from 0,5 m 25 J	> 15 kg < 25 kg
	ZENITH X PL ZENITH X PL HI VIZ EN 12492	●	●	●	●	
		5 kg from 2 m 100 J		3 kg from 1 m 30 J	5 kg from 0,5 m 25 J	
	PRIMERO PRIMERO HI VIZ EN 397 - EN 50365	●	● K	●	● K	●
		5 kg from 1 m 50 J	5 kg from 2 m 100 J	3 kg from 1 m 30 J	5 kg from 0,5 m 25 J	> 15 kg < 25 kg
	PRIMERO AIR PRIMERO AIR HI VIZ EN 397 - EN 50365	●	● K	●	● K	●
		5 kg from 1 m 50 J	5 kg from 2 m 100 J	3 kg from 1 m 30 J	5 kg from 0,5 m 25 J	> 15 kg < 25 kg
	PRIMERO PL PRIMERO PL HI VIZ EN 12492	●	●	●	●	
		5 kg from 2 m 100 J		3 kg from 1 m 30 J	5 kg from 0,5 m 25 J	
	SUPERPLASMA AQ SUPERPLASMA AQ HI VIZ EN 397	●	●	●	● K	●
		5 kg from 1 m 50 J		3 kg from 1 m 30 J	5 kg from 0,5 m 25 J	> 15 kg < 25 kg
	SUPERPLASMA PL SUPERPLASMA PL HI VIZ EN 12492	●	●	●	●	
		5 kg from 2 m 100 J		3 kg from 1 m 30 J	5 kg from 0,5 m 25 J	
	SUPERPLASMA HP SUPERPLASMA HP VISOR EN 14052	●	●	●	●	●
		5 kg from 2 m 100 J		1 kg from 2,5 m 25 J Off-Crown: 1 kg from 2 m 20 J	5 kg from 1 m 50 J	> 15 kg < 25 kg

-  Required performance tests for certification
-  EN 397 optional requirements
-  EN 12492 added performance tests

CHINSTAP RESISTANCE	RETENTION SYSTEM EFFECTIVENESS	ELECTRIC INSULATION	ELECTRIC INSULATION	LOWER TEMPERATURE RESISTANCE	LATERAL DEFORMATION	MOLTEN METAL SPLASH
		● EN 50365 (Class 0)	Ⓚ 440V	Ⓚ T= -30°C	Ⓚ LD	Ⓚ MM
		● EN 50365 (Class 0)		Ⓚ T= -30°C	Ⓚ LD	Ⓚ MM
● > 50 kg	●					
		● EN 50365 (Class 0)	Ⓚ 440V	Ⓚ T= -30°C	Ⓚ LD	Ⓚ MM
		● EN 50365 (Class 0)		Ⓚ T= -30°C	Ⓚ LD	Ⓚ MM
● > 50 kg	●			Ⓚ T= -30°C	Ⓚ LD	Ⓚ MM
				Ⓚ T= -30°C	Ⓚ LD	Ⓚ MM
● > 50 kg	●					
	●				Ⓚ LD	



ZENITH X

— 28

Our passion for worker comfort and performance fueled the inspiration to design a helmet without compromise – one that is exponentially better.





OVERVIEW OF TECHNOLOGIES.

**DRY+**

Advanced composite fabric integrated with Hydrocool® moisture-wicking technology and exceptionally soft textiles for enhanced user comfort.

**ADAPTIVE FIT SYSTEM**

A size adjustment system which integrates three components for all-day comfort. A new, double diameter dial allows for easier size adjustments. Ergonomic side wings ensure a fast and secure fit against the back of the head. The patented Self Adaptive Live Hinge is the latest, self-adjusting fit technology that moves as the wearer moves.



ECO LEATHER

ADVANCED CHINSTRAP

Eco-leather chinstrap designed with new, rear adjustment points for a more personalized fit. Accommodates wider sizes and adapts to earmuff use. Color-coded fasteners indicate which EN standard the chinstrap meets.

**EASY CLICK SYSTEM**

Integrated slots that enable seamless accessory attachment. Applies to KASK eye, face, and hearing protection.



FEATURES.



FRONT ATTACHMENT POINT

Holds accessories such as badges and headlamps.



RING TO HOOK

Enables secure attachment of helmet to harness or other items.



LATERAL ADJUSTMENT DIVIDER

Side adjustment points on chinstrap for secure fit.



POLYPROPYLENE HD EXTERNAL SHELL

Offers exponentially better impact protection especially at lower temps.





HI-VIZ NAMEPLATE

Designed with rear high visibility nameplate for easy identification.



ELECTRIC SHOCK PROTECTION

Protection against electric hazards.



REPLACEABLE LAMP CLIPS

Four lamp attachment points designed to be removable.



EARPLUG HOOKS

Lamp clips with secure earplug holders for easy access.



EARMUFF ATTACHMENT SLOTS

Designed with integrated slots for attaching earmuffs.



ZENITH X

Exceptional safety and comfort designed with multiple accessory options for enhanced protection in high voltage environments.

WHE00073
EN 397 - EN 50365



— 34



WHE00073-201
WHITE



WHE00073-202
YELLOW



WHE00073-203
ORANGE



WHE00073-204
RED



WHE00073-205
GREEN



WHE00073-206
BRITISH GREEN



WHE00073-208
BLUE



WHE00073-209
ANTHRACITE



WHE00073-210
BLACK



WHE00073-214
PINK



WHE00073-215
LIGHT GREY

INCLUDES



WAC00026
DRAWSTRING
HELMET BAG

All colors are available as made-to-order with Longer Chinstrap (↔ +10 cm)
Part number WHE00125 - Zenith X LC

FEATURED TECHNOLOGIES



TECHNICAL DETAILS

**MATERIAL**EXTERNAL SHELL:
HD PolypropyleneINTERNAL SHELL:
HD Expanded PolystyreneHEADBAND:
Soft PA Nylon**SIZE**Universal-adjustable
from 52 to 63 cm**WEIGHT**

490 g

**STANDARD**

EN 397

EN 50365 (Class 0)

Protection against front, rear and side
impacts in conformity
with EN 12492Clauses 4.2.1.2, 4.2.1.3, 4.2.1.4 shock
energy absorption capacity
Clause 4.2.2 penetration**TEMPERATURE OF USE**

-30°C / +50°C

**CATEGORY**

III

EN 397 additional tests:
440V a.c. / -30°C / LD / MM

CE 2008 UK 8503

ORDER LOGISTICS

MASTERBOX
18 pieces**DIMENSIONS**
82 x 47 x 56 cm**WEIGHT**
16 kg

KASK DURABILITY

3 YEAR
GUARANTEE**10 YEAR**
LIFE SPAN

ZENITH X HI VIZ

Exceptional safety and comfort designed with multiple accessory options for enhanced protection in high voltage environments. Available in high-visibility color options.

WHE00074
EN 397 - EN 50365



— 36



WHE00074-201
WHITE



WHE00074-221
YELLOW FLUO



WHE00074-222
ORANGE FLUO

















INCLUDES



WAC00026
DRAWSTRING
HELMET BAG

All colors are available as made-to-order with Longer Chinstrap (↔ +10 cm)
Part number WHE00126 - Zenith X LC HI VIZ

FEATURED TECHNOLOGIES

- 
POLYPROPYLENE
HI-VIZ HD
EXTERNAL SHELL
- 
D-CORE
TECHNOLOGY
- 
HD CROWN
PROTECTION
- 
CLICK-IN
SYSTEM
- 
DRY+ LINER
- 
ADAPTIVE FIT
SYSTEM
- 
HI-VIZ REFLECTIVE
DECALS
- 
ELECTRICAL
INSULATION
- 
ELECTRICAL SHOCK
PROTECTION
- 
ECO LEATHER
ADVANCED
CHINSTRAP
- 
LATERAL
ADJUSTMENT
DIVIDER
- 
RING
TO HOOK
- 
FRONT
ATTACHMENT
POINT
- 
REPLACEABLE
LUMINESCENT
LAMP CLIPS
- 
EARPLUG
HOOKS
- 
EARMUFF
ATTACHMENT
SLOTS
- 
HI-VIZ
NAMEPLATE
- 
EASY CLICK
SYSTEM



TECHNICAL DETAILS



MATERIAL
EXTERNAL SHELL:
HD Polypropylene

INTERNAL SHELL:
HD Expanded Polystyrene

HEADBAND:
Soft PA Nylon



SIZE
Universal-adjustable
from 52 to 63 cm



WEIGHT
490 g



STANDARD
EN 397
EN 50365 (Class 0)
Protection against front, rear and side
impacts in conformity
with EN 12492
Clauses 4.2.1.2, 4.2.1.3, 4.2.1.4 shock
energy absorption capacity
Clause 4.2.2 penetration



TEMPERATURE OF USE
-30°C / +50°C



CATEGORY
III

EN 397 additional tests:
440V a.c. / -30°C / LD / MM

CE 2008 UK CA 8503

ORDER LOGISTICS

MASTERBOX
18 pieces

DIMENSIONS
82 x 47 x 56 cm

WEIGHT
16 kg

KASK DURABILITY

3 YEAR
GUARANTEE

10 YEAR
LIFE SPAN

ZENITH X AIR

Exceptional safety and comfort designed with ventilation channels and multiple accessory options for enhanced protection.

WHE00075
EN 397 - EN 50365



— 38



WHE00075-201
WHITE



WHE00075-202
YELLOW



WHE00075-203
ORANGE



WHE00075-204
RED



WHE00075-205
GREEN



WHE00075-206
BRITISH GREEN



WHE00075-208
BLUE



WHE00075-209
ANTHRACITE



WHE00075-210
BLACK



WHE00075-214
PINK



WHE00075-215
LIGHT GREY



INCLUDES

WAC00026
DRAWSTRING
HELMET BAG

All colors are available as made-to-order with Longer Chinstrap (↔ +10 cm)
Part number WHE00127 - Zenith X AIR LC

FEATURED TECHNOLOGIES



TECHNICAL DETAILS

**MATERIAL**EXTERNAL SHELL:
HD PolypropyleneINTERNAL SHELL:
HD Expanded PolystyreneHEADBAND:
Soft PA Nylon**SIZE**Universal-adjustable
from 52 to 63 cm**WEIGHT**

490 g

**STANDARD**

EN 397

EN 50365 (Class 0)

Protection against front, rear and side
impacts in conformity with EN 12492
Clauses 4.2.1.2, 4.2.1.3, 4.2.1.4 shock
energy absorption capacity
Clause 4.2.2 penetration
Clause 4.1.4 ventilation**TEMPERATURE OF USE**

-30°C / +50°C

**CATEGORY**

III

EN 397 additional tests:
-30°C / LD / MM

CE 2008 UK CA 8503

ORDER LOGISTICS

MASTERBOX
18 pieces**DIMENSIONS**
82 x 47 x 56 cm**WEIGHT**
16 kg

KASK DURABILITY

3 YEAR
GUARANTEE**10** YEAR
LIFE SPAN

ZENITH X AIR HI VIZ

Exceptional safety and comfort designed with ventilation channels and multiple accessory options for enhanced protection. Available in high-visibility color options.

WHE00076
EN 397 - EN 50365



— 40



WHE00076-201
WHITE



WHE00076-221
YELLOW FLUO



WHE00076-222
ORANGE FLUO

INCLUDES



WAC00026
DRAWSTRING
HELMET BAG

All colors are available as made-to-order with Longer Chinstrap (↔ +10 cm)
Part number WHE00128 - Zenith X AIR LC HI VIZ

FEATURED TECHNOLOGIES



TECHNICAL DETAILS

**MATERIAL**EXTERNAL SHELL:
HD PolypropyleneINTERNAL SHELL:
HD Expanded PolystyreneHEADBAND:
Soft PA Nylon**SIZE**Universal-adjustable
from 52 to 63 cm**WEIGHT**

490 g

**STANDARD**

EN 397

EN 50365 (Class 0)

Protection against front, rear and side
impacts in conformity with EN 12492
Clauses 4.2.1.2, 4.2.1.3, 4.2.1.4 shock
energy absorption capacity
Clause 4.2.2 penetration
Clause 4.1.4 ventilation**TEMPERATURE OF USE**

-30°C / +50°C

**CATEGORY**

III

EN 397 additional tests:
-30°C / LD / MM

CE 2008 UK 8503

ORDER LOGISTICS

MASTERBOX
18 pieces**DIMENSIONS**
82 x 47 x 56 cm**WEIGHT**
16 kg

KASK DURABILITY

3 YEAR
GUARANTEE**10 YEAR**
LIFE SPAN

KASK

ZENITH X PL

Exceptional safety and comfort designed with ventilation channels and multiple accessory options for enhanced protection. Exceeds EN Mountaineering standards.

WHE00079
EN 12492



— 42



WHE00079-201
WHITE



WHE00079-202
YELLOW



WHE00079-203
ORANGE



WHE00079-204
RED



WHE00079-210
BLACK



WHE00079-214
PINK

INCLUDES



WAC00026
DRAWSTRING
HELMET BAG

FEATURED TECHNOLOGIES



TECHNICAL DETAILS

**MATERIAL**EXTERNAL SHELL:
HD PolypropyleneINTERNAL SHELL:
HD Expanded PolystyreneHEADBAND:
Soft PA Nylon**SIZE**Universal-adjustable
from 52 to 63 cm**STANDARD**

EN 12492

CE UK CA

**WEIGHT**

480 g

**TEMPERATURE OF USE**

-20°C / +35°C

**CATEGORY**

II

ORDER LOGISTICS

MASTERBOX
18 pieces**DIMENSIONS**
82 x 47 x 56 cm**WEIGHT**
15,5 kg

KASK DURABILITY

3 YEAR
GUARANTEE**10** YEAR
LIFE SPAN

ZENITH X PL HI VIZ

Exceptional safety and comfort designed with ventilation channels and multiple accessory options for enhanced protection. Exceeds EN Mountaineering standards. Available in high-visibility color options.

WHE00080
EN 12492



— 44



WHE00080-201
WHITE




WHE00080-221
YELLOW FLUO

INCLUDES



WAC00026
DRAWSTRING
HELMET BAG

FEATURED TECHNOLOGIES



TECHNICAL DETAILS

**MATERIAL**EXTERNAL SHELL:
HD PolypropyleneINTERNAL SHELL:
HD Expanded PolystyreneHEADBAND:
Soft PA Nylon**SIZE**Universal-adjustable
from 52 to 63 cm**STANDARD**

EN 12492

CE UK CA

**WEIGHT**

480 g

**TEMPERATURE OF USE**

-20°C / +35°C

**CATEGORY**

II

ORDER LOGISTICS

MASTERBOX
18 pieces**DIMENSIONS**
82 x 47 x 56 cm**WEIGHT**
15,5 kg

KASK DURABILITY

3 YEAR
GUARANTEE**10 YEAR**
LIFE SPAN

ZENITH X COMBO

Exceptional safety and comfort designed with preinstalled mesh face shield and earmuffs for enhanced protection in high-voltage environments.

WHE00077
EN 397 - EN 50365



— 46



WHE00077-203
ORANGE



WHE00077-221
YELLOW FLUO



WHE00077-210
BLACK

INCLUDES



WHP00005
EARMUFFS SC2



WVI00009
ZEN MM VISOR



WAC00009
EASY CLICK
ADAPTERS



WAC00010
VISOR CARRIER



WVI00011
BRIM



WAC00026
DRAWSTRING
HELMET BAG

FEATURED TECHNOLOGIES



TECHNICAL DETAILS



MATERIAL
 EXTERNAL SHELL:
 HD Polypropylene
 INTERNAL SHELL:
 HD Expanded Polystyrene
 HEADBAND:
 Soft PA Nylon



TEMPERATURE OF USE
 -30°C / +50°C



SIZE
 Universal-adjustable
 from 52 to 63 cm



WEIGHT
 490 g (helmet)



STANDARD | HELMET
 EN 397
 EN 50365 (Class 0)
 Protection against front, rear and side impacts in conformity with EN 12492
 Clauses 4.2.1.2, 4.2.1.3, 4.2.1.4 shock energy absorption capacity
 Clause 4.2.2 penetration

EN 397 additional tests:
 440V a.c. / -30°C / LD / MM

CE 2008 UK CA 8503

CATEGORY: III

STANDARD | EARMUFFS
 EN 352-3
 ANSI S3.19

CE 1974 UK CA

CATEGORY: III

STANDARD | VISOR
 EN 1731
 ANSI Z87.1

CE UK CA

CATEGORY: II

ORDER LOGISTICS

MASTERBOX
 8 pieces

DIMENSIONS
 82 x 54 x 47 cm

WEIGHT
 14 kg

KASK DURABILITY

3 YEAR GUARANTEE

10 YEAR LIFE SPAN

ZENITH X AIR COMBO

Exceptional safety and comfort designed with ventilation channels, preinstalled mesh face shield and earmuffs for enhanced protection.

WHE00078
EN 397 - EN 50365



— 48



WHE00078-203
ORANGE



WHE00078-221
YELLOW FLUO



WHE00078-210
BLACK

INCLUDES



WHP00005
EARMUFFS SC2



WVI00009
ZEN MM VISOR



WAC00009
EASY CLICK
ADAPTERS



WAC00010
VISOR CARRIER



WVI00011
BRIM



WAC00026
DRAWSTRING
HELMET BAG

FEATURED TECHNOLOGIES



TECHNICAL DETAILS

**MATERIAL**

EXTERNAL SHELL:
HD Polypropylene

INTERNAL SHELL:
HD Expanded Polystyrene

HEADBAND:
Soft PA Nylon

**TEMPERATURE OF USE**

-30°C / +50°C

**SIZE**

Universal-adjustable
from 52 to 63 cm

**WEIGHT**

490 g (helmet)

**STANDARD | HELMET**

EN 397
EN 50365 (Class 0)

Protection against front, rear and side impacts in conformity with EN 12492
Clauses 4.2.1.2, 4.2.1.3, 4.2.1.4 shock energy absorption capacity
Clause 4.2.2 penetration
Clause 4.1.4 ventilation

EN 397 additional tests:
-30°C / LD / MM

CE 2008 UK CA 8503

CATEGORY: III

STANDARD | EARMUFFS

EN 352-3
ANSI S3.19

CE 1974
UK CA

CATEGORY: III

STANDARD | VISOR

EN 1731
ANSI Z87.1

CE UK CA

CATEGORY: II

ORDER LOGISTICS

MASTERBOX
8 pieces

DIMENSIONS
82 x 54 x 47 cm

WEIGHT
14 kg

KASK DURABILITY

3 YEAR
GUARANTEE

10 YEAR
LIFE SPAN

ZENITH X PL COMBO

Exceptional safety and comfort designed with ventilation channels, preinstalled mesh face shield and earmuffs for enhanced protection. Exceeds EN Mountaineering standards.

WHE00081
EN 12492



— 50



WHE00081-203
ORANGE



WHE00081-221
YELLOW FLUO



WHE00081-210
BLACK

INCLUDES



WHP00005
EARMUFFS SC2



WVI00009
ZEN MM VISOR



WAC00009
EASY CLICK
ADAPTERS



WAC00010
VISOR CARRIER



WVI00011
BRIM



WAC00026
DRAWSTRING
HELMET BAG

FEATURED TECHNOLOGIES

POLYPROPYLENE
HD EXTERNAL
SHELLD-CORE
TECHNOLOGYHD CROWN
PROTECTIONCLICK-IN
SYSTEM

DRY+ LINER

ADAPTIVE FIT
SYSTEMVENTILATION
CHANNELS

ECO LEATHER

ADVANCED
CHINSTRAPLATERAL
ADJUSTMENT
DIVIDERRING
TO HOOKFRONT
ATTACHMENT
POINTREPLACEABLE
LUMINESCENT
LAMP CLIPSEARPLUG
HOOKSEARMUFF
ATTACHMENT
SLOTSHI-VIZ
NAMEPLATEEASY CLICK
SYSTEM

TECHNICAL DETAILS

**MATERIAL**EXTERNAL SHELL:
HD PolypropyleneINTERNAL SHELL:
HD Expanded PolystyreneHEADBAND:
Soft PA Nylon**TEMPERATURE OF USE**

-20°C / +35°C

**SIZE**Universal-adjustable
from 52 to 63 cm**WEIGHT**

480 g (helmet)

**STANDARD | HELMET**

EN 12492

**CATEGORY: II****STANDARD | EARMUFFS**EN 352-3
ANSI S3.19**CATEGORY: III****STANDARD | VISOR**EN 1731
ANSI Z87.1**CATEGORY: II**

ORDER LOGISTICS

MASTERBOX

8 pieces

DIMENSIONS

82 x 54 x 47 cm

WEIGHT

14 kg

KASK DURABILITY

3 YEAR
GUARANTEE**10** YEAR
LIFE SPAN

PRIMERO

— 52

Our commitment to safety, comfort, and design enabled the development of a helmet that makes it easy for anyone to experience advanced head protection.





OVERVIEW OF TECHNOLOGIES.

**POLYPROPYLENE HD EXTERNAL SHELL**

Lightweight external shell with exponential better performance. Excels in impact absorption, especially at lower temperatures (-30°C). Resists yellowing and degradation.

**POLYSTYRENE HD INTERNAL SHELL**

Inner shell composed of high-density foam for all-around impact energy absorption and improved comfort.

**ERGO FIT SYSTEM**

Helmet size adjusting system that allows for an easy and secure fit by turning the largediameter dial. The system moves up and down to adapt to a range of head shapes. The ergonomically shaped wings cradle the back of the neck for added comfort.

**ADVANCED LITE CHINSTRAP**

Chinstrap with 5 adjustment points for a personalized fit. Accommodates wider head sizes and adapts to earmuff use. Color-coded fasteners indicate EN standard compliance rating.



FEATURES.



FRONT ATTACHMENT POINT

Holds accessories such as badges and headlamps.



RING TO HOOK

Chinstrap loop that securely attaches helmet to a harness.



CLICK-IN SYSTEM

Attachment system that lets padding easily snap in and out.



2DRY

2DRY LINER

Moisture-wicking fabric technology for all-day comfort.



EARMUFF ATTACHMENT SLOTS

Designed with integrated slots for attaching earmuffs



ELECTRIC SHOCK PROTECTION

Protection against electric hazards.



VENTILATION CHANNELS

14 air intakes shaped for preventing debris entry.



EARPLUG HOOKS

Lamp clips with secure earplug holders for easy access.



LATERAL ADJUSTMENT DIVIDER

Side regulator point for adjustment and positioning of chinstrap.



PRIMERO

Advanced head protection made easy.

WHE00111
EN 397 - EN 50365



— 58



WHE00111-201
WHITE



WHE00111-202
YELLOW



WHE00111-203
ORANGE



WHE00111-204
RED



WHE00111-205
GREEN



WHE00111-206
BRITISH GREEN
(made-to-order)



WHE00111-207
ROYAL
(made-to-order)



WHE00111-208
BLUE



WHE00111-210
BLACK




WHE00111-209
ANTHRACITE
(made-to-order)



WHE00111-215
LIGHT GREY
(made-to-order)

FEATURED TECHNOLOGIES



TECHNICAL DETAILS

**MATERIAL**

EXTERNAL SHELL:
HD Polypropylene

INTERNAL SHELL:
HD Expanded Polystyrene

HEADBAND: Soft PA Nylon

**SIZE**

Universal-adjustable
from 52 to 63 cm

**WEIGHT**

460 g

**CATEGORY**

III

**STANDARD**

EN 397

EN 50365 (Class 0)

Protection against top, front, rear and side impacts in conformity with EN 12492
Clauses 4.2.1 shock energy absorption capacity
Clause 4.2.2 penetration

EN 397 additional tests:
440V a.c. / -30°C / LD / MM

CE 2008 UK 8503

**TEMPERATURE OF USE**

-30°C / +50°C

ORDER LOGISTICS

MASTERBOX
24 pieces

DIMENSIONS
79,5 x 58 x 49 cm

WEIGHT
17 kg

KASK DURABILITY

3 YEAR
GUARANTEE

10 YEAR
LIFE SPAN

KASK

PRIMERO HI VIZ

Advanced head protection made easy. Available in high-visibility color options.

WHE00112
EN 397 - EN 50365



— 60



WHE00112-201
WHITE




















WHE00112-221
YELLOW FLUO



WHE00112-222
ORANGE FLUO
(made-to-order)

FEATURED TECHNOLOGIES

- 
POLYPROPYLENE HD EXTERNAL SHELL
- 
HD EPS INTERNAL SHELL
- 
CLICK-IN SYSTEM
- 
2DRY LINER
- 
ERGO FIT SYSTEM
- 
ADVANCED LITE CHINSTRAP
- 
LATERAL ADJUSTMENT DIVIDER
- 
EARMUFF ATTACHMENT SLOTS
- 
RING TO HOOK
- 
EARPLUG HOOKS
- 
FRONT ATTACHMENT POINT
- 
REPLACEABLE LUMINESCENT LAMP CLIPS
- 
NECK PROTECTOR SLOT
- 
EASY CLICK SYSTEM
- 
HI VIZ REFLECTIVE DECALS
- 
POLYPROPYLENE HI-VIZ HD EXTERNAL SHELL
- 
ELECTRICAL SHOCK PROTECTION
- 
ELECTRICAL INSULATION



TECHNICAL DETAILS



MATERIAL
EXTERNAL SHELL:
HD Polypropylene

INTERNAL SHELL:
HD Expanded Polystyrene

HEADBAND: Soft PA Nylon



SIZE
Universal-adjustable
from 52 to 63 cm



WEIGHT
460 g



CATEGORY
III



STANDARD
EN 397

EN 50365 (Class 0)

Protection against top, front, rear and side impacts in conformity with EN 12492
Clauses 4.2.1 shock energy absorption capacity
Clause 4.2.2 penetration

EN 397 additional tests:
440V a.c. / -30°C / LD / MM

CE 2008 UK 8503



TEMPERATURE OF USE
-30°C / +50°C

ORDER LOGISTICS

MASTERBOX
24 pieces

DIMENSIONS
79,5 x 58 x 49 cm

WEIGHT
17 kg

KASK DURABILITY

3 YEAR
GUARANTEE

10 YEAR
LIFE SPAN

PRIMERO AIR

Advanced vented head protection made easy.

WHE00113
EN 397 - EN 50365



— 62



WHE00113-201
WHITE



WHE00113-202
YELLOW



WHE00113-203
ORANGE



WHE00113-204
RED



WHE00113-205
GREEN



WHE00113-206
BRITISH GREEN
(made-to-order)



WHE00113-207
ROYAL
(made-to-order)



WHE00113-208
BLUE



WHE00113-210
BLACK



WHE00113-209
ANTHRACITE
(made-to-order)



WHE00113-215
LIGHT GREY
(made-to-order)

FEATURED TECHNOLOGIES



TECHNICAL DETAILS



MATERIAL
EXTERNAL SHELL:
HD Polypropylene

INTERNAL SHELL:
HD Expanded Polystyrene

HEADBAND: Soft PA Nylon



SIZE
Universal-adjustable
from 52 to 63 cm



WEIGHT
460 g



STANDARD
EN 397

EN 50365 (Class 0)

Protection against top, front, rear and side impacts in conformity with EN 12492

Clause 4.2.1 shock energy absorption capacity

Clause 4.2.2 penetration

Clause 4.1.4 ventilation



TEMPERATURE OF USE
-30°C / +50°C



CATEGORY
III

EN 397 additional tests:
-30°C / LD / MM

CE 2008 UK 8503

ORDER LOGISTICS

MASTERBOX
24 pieces

DIMENSIONS
79,5 x 58 x 49 cm

WEIGHT
17 kg

KASK DURABILITY

3 YEAR
GUARANTEE

10 YEAR
LIFE SPAN

KASK

PRIMERO AIR HI VIZ

Advanced vented head protection made easy. Available in high-visibility color options.

WHE00114
EN 397 - EN 50365



— 64



WHE00114-201
WHITE




WHE00114-221
YELLOW FLUO



WHE00114-222
ORANGE FLUO
(made-to-order)

FEATURED TECHNOLOGIES



TECHNICAL DETAILS



MATERIAL
EXTERNAL SHELL:
HD Polypropylene

INTERNAL SHELL:
HD Expanded Polystyrene

HEADBAND: Soft PA Nylon



SIZE
Universal-adjustable
from 52 to 63 cm



WEIGHT
460 g



STANDARD
EN 397

EN 50365 (Class 0)

Protection against top, front, rear and side
impacts in conformity
with EN 12492

Clause 4.2.1 shock energy absorption capacity

Clause 4.2.2 penetration

Clause 4.1.4 ventilation

EN 397 additional tests:

-30°C / LD / MM

CE 2008 UK 8503



TEMPERATURE OF USE
-30°C / +50°C



CATEGORY
III

ORDER LOGISTICS

MASTERBOX
24 pieces

DIMENSIONS
79,5 x 58 x 49 cm

WEIGHT
17 kg

KASK DURABILITY

3 YEAR
GUARANTEE

10 YEAR
LIFE SPAN

PRIMERO PL

Advanced head protection made easy meets the EN mountaineering standard.

WHE00115
EN 12492



— 66



WHE00115-201
WHITE



WHE00115-202
YELLOW



WHE00115-203
ORANGE



WHE00115-204
RED



WHE00115-206
BRITISH GREEN
(made-to-order)



WHE00115-210
BLACK




WHE00115-209
ANTHRACITE
(made-to-order)



WHE00115-215
LIGHT GREY
(made-to-order)

FEATURED TECHNOLOGIES



TECHNICAL DETAILS

**MATERIAL**

EXTERNAL SHELL:
HD Polypropylene

INTERNAL SHELL:
HD Expanded Polystyrene

HEADBAND: Soft PA Nylon

**SIZE**

Universal-adjustable
from 52 to 63 cm

**WEIGHT**

460 g

**STANDARD**

EN 12492

Protection against top impacts and penetration in conformity with EN 397 Clause 5.1.1 Protection against top impacts

Clause 5.1.2 Protection against penetration
Clause 5.1.3 Flame resistance

EN 397 additional tests:
-30°C / LD / MM

**TEMPERATURE OF USE**

-30°C / +50°C

**CATEGORY**

II



ORDER LOGISTICS

MASTERBOX
24 pieces

DIMENSIONS
79,5 x 58 x 49 cm

WEIGHT
17 kg

KASK DURABILITY

3 YEAR
GUARANTEE

10 YEAR
LIFE SPAN

KASK

PRIMERO PL HI VIZ

Advanced head protection made easy meets the EN mountaineering standard.
Available in high-visibility color options.

WHE00116
EN 12492



— 68



WHE00116-201
WHITE




WHE00116-221
YELLOW FLUO



WHE00116-222
ORANGE FLUO
(made-to-order)

FEATURED TECHNOLOGIES



TECHNICAL DETAILS



MATERIAL
EXTERNAL SHELL:
HD Polypropylene

INTERNAL SHELL:
HD Expanded Polystyrene

HEADBAND: Soft PA Nylon



SIZE
Universal-adjustable
from 52 to 63 cm



WEIGHT
460 g



STANDARD
EN 12492

Protection against top impacts and penetration in conformity with EN 397
Clause 5.1.1 Protection against top impacts
Clause 5.1.2 Protection against penetration
Clause 5.1.3 Flame resistance



TEMPERATURE OF USE
-30°C / +50°C



CATEGORY
II

EN 397 additional tests:
-30°C / LD / MM



ORDER LOGISTICS

MASTERBOX
24 pieces

DIMENSIONS
79,5 x 58 x 49 cm

WEIGHT
17 kg

KASK DURABILITY

3 YEAR
GUARANTEE

10 YEAR
LIFE SPAN

KASK

SUPERPLASMA

– 70

With a globally recognized design that signals KASK, these helmets enable workers to perform with confidence in a variety of demanding applications.

R130



OVERVIEW OF TECHNOLOGIES.

**2DRY LINER**

A quick-drying technical fabric that accelerates the dispersion of sweat and moisture to the surface of the helmet padding for a dryer, more comfortable wear.

**QUICK FIT SYSTEM**

Size adjustment system for maximum stability, easy to use thanks to a large diameter wheel.

**VENTILATION CHANNELS**

Helmet designed with 10 air intakes that maximize internal airflow through outflow channels providing exceptional helmet breathability.



FEATURES.



INTEGRATED LAMP CLIPS

Designed with 4 built-in, nylon lamp attachment points. Compatible with KASK headlamps and other headlamps with elastic bands.



DETACHABLE INNER PADDING

Hook-and-loop-enabled for easy removal, replacement, and washing.



HD POLYPROPYLENE EXTERNAL SHELL

Offers high impact resistance and lighter weight.



ANTI-INTRUSION MESH

Metal mesh vent covers that prevent debris from entering the ventilation channels while maintaining breathability.



EARMUFF ADAPTER ATTACHMENT POINTS

Helmet designed with attachment points for earmuff adapters.



VISOR ATTACHMENT POINTS

Helmet designed with attachment points for securing KASK eye protection accessories.



LATERAL ADJUSTMENT DIVIDER

Side adjustment points on chinstrap for secure fit.



KASK

SUPERPLASMA AQ

The global benchmark for quality, safety, and design.

WHE00104
EN 397



— 76



WHE00104-201
WHITE



WHE00104-202
YELLOW



WHE00104-203
ORANGE



WHE00104-204
RED



WHE00104-205
GREEN



WHE00104-206
BRITISH GREEN



WHE00104-207
ROYAL



WHE00104-208
BLUE



WHE00104-210
BLACK



WHE00104-214
PINK

FEATURED TECHNOLOGIES



QUICK FIT SYSTEM



2DRY LINER



RING TO HOOK

EARMUFF ADAPTER
ATTACHMENT
POINTSANTI-INTRUSION
MESHVENTILATION
CHANNELSVISOR
ATTACHMENT
POINTSINTEGRATED LAMP
CLIPS

TECHNICAL DETAILS

**MATERIAL**EXTERNAL SHELL:
HD PolypropyleneINTERNAL SHELL:
HD Expanded PolystyreneHEADBAND:
Soft PA Nylon**SIZE**Universal-adjustable
from 51 to 63 cm**WEIGHT**

390 g

**STANDARD**

EN 397

Protection against front, rear and side
impacts in conformity with EN 12492
Clauses 4.2.1.2, 4.2.1.3, 4.2.1.4 shock
energy absorption capacity
Clause 4.2.2 Penetration
Clause 4.1.4 VentilationEN 397 additional tests:
-30°C / LD / MM**TEMPERATURE OF USE**

-30°C / +50°C

**CATEGORY**

II

ORDER LOGISTICS

MASTERBOX
24 pieces**DIMENSIONS**
82 x 54 x 47 cm**WEIGHT**
14 kg

KASK DURABILITY

3 YEAR
GUARANTEE**10** YEAR
LIFE SPAN

KASK

SUPERPLASMA AQ HI VIZ

The global benchmark for quality, safety, and design.
Available in high-visibility color options.

WHE00105
EN 397



— 78



WHE00105-201
WHITE



WHE00105-208
BLUE



WHE00105-210
BLACK



WHE00105-221
YELLOW FLUO



WHE00105-222
ORANGE FLUO



WHE00105-223
RED FLUO



WHE00105-224
LIME FLUO



WHE00105-241
WHITE/RED



WHE00105-251
BLUE/YELLOW



WHE00105-253
WHITE/GREEN

FEATURED TECHNOLOGIES



QUICK FIT SYSTEM



2DRY LINER



RING TO HOOK

EARMUFF ADAPTER
ATTACHMENT
POINTSANTI-INTRUSION
MESHVENTILATION
CHANNELSVISOR
ATTACHMENT
POINTSINTEGRATED
LUMINESCENT
LAMP CLIPS

HI-VIZ DETAILS



TECHNICAL DETAILS

**MATERIAL**EXTERNAL SHELL:
HD PolypropyleneINTERNAL SHELL:
HD Expanded PolystyreneHEADBAND:
Soft PA Nylon**SIZE**Universal-adjustable
from 51 to 63 cm**WEIGHT**

390 g

**STANDARD**

EN 397

Protection against front, rear and side
impacts in conformity with EN 12492
Clauses 4.2.1.2, 4.2.1.3, 4.2.1.4 shock
energy absorption capacity
Clause 4.2.2 Penetration
Clause 4.1.4 VentilationEN 397 additional tests:
-30°C / LD / MM**TEMPERATURE OF USE**

-30°C / +50°C

**CATEGORY**

II

ORDER LOGISTICS

MASTERBOX
24 pieces**DIMENSIONS**
82 x 54 x 47 cm**WEIGHT**
14 kg

KASK DURABILITY

3 YEAR
GUARANTEE**10** YEAR
LIFE SPAN

KASK

SUPERPLASMA HP

Designed for demanding environments that require High Performance standards.

WHE00106
EN 14052



— 80



WHE00106-201
WHITE



WHE00106-202
YELLOW



WHE00106-204
RED

FEATURED TECHNOLOGIES



QUICK FIT SYSTEM



2DRY

2DRY LINER



RING TO HOOK

EARMUFF ADAPTER
ATTACHMENT
POINTSVENTILATION
CHANNELSVISOR
ATTACHMENT
POINTSINTEGRATED LAMP
CLIPS

TECHNICAL DETAILS

**MATERIAL**EXTERNAL SHELL:
ABSINTERNAL SHELL:
HD Expanded PolystyreneHEADBAND:
Soft PA Nylon**SIZE**Universal-adjustable
from 51 to 63 cm**WEIGHT**

450 g

**STANDARD**

EN 14052

Protection against front, rear and side
impacts in conformity with EN 12492
Clauses 4.2.1.2, 4.2.1.3, 4.2.1.4 shock
energy absorption capacityProtection from impacts and penetration
in conformity with EN 397Clause 5.1.1 Shock Absorption
Clause 5.1.2 Penetration Resistance

EN 397 additional tests: LD

**TEMPERATURE OF USE**

-10°C / +50°C

**CATEGORY**

II



ORDER LOGISTICS

MASTERBOX
24 pieces**DIMENSIONS**
82 x 54 x 47 cm**WEIGHT**
16 kg

KASK DURABILITY

3 YEAR
GUARANTEE**10** YEAR
LIFE SPAN

SUPERPLASMA HP VISOR

Designed for demanding environments that require High Performance standards.
Available in high-visibility color options with preinstalled visor.

WHE00107
EN 14052



— 82



WHE00107-201
WHITE



WHE00107-202
YELLOW



WHE00107-204
RED

INCLUDES



WV00018-500
V2 PLUS CLEAR



WAC00026
DRAWSTRING
HELMET BAG

FEATURED TECHNOLOGIES



QUICK FIT SYSTEM



2DRY LINER



RING TO HOOK

EARMUFF ADAPTER
ATTACHMENT
POINTSVENTILATION
CHANNELSVISOR
ATTACHMENT
POINTSINTEGRATED
LUMINESCENT
LAMP CLIPSHI-VIZ REFLECTIVE
DETAILS

TECHNICAL DETAILS

**MATERIAL**EXTERNAL SHELL:
ABSINTERNAL SHELL:
HD Expanded PolystyreneHEADBAND:
Soft PA Nylon**SIZE**Universal-adjustable
from 51 to 63 cm**WEIGHT**

450 g (helmet)

**STANDARD | HELMET**

EN 14052

Protection against front, rear and
side impacts in conformity with
EN 12492Clauses 4.2.1.2, 4.2.1.3, 4.2.1.4
shock energy absorption capacityProtection from impacts and
penetration in conformity with
EN 397Clause 5.1.1 Shock Absorption
Clause 5.1.2 Penetration Resistance

EN 397 additional tests: LD

**STANDARD |
VISOR**EN 166 / EN 14458
EN 170 (clear)
ANSI Z87.1**TEMPERATURE OF USE**

-10°C / +50°C

**CATEGORY**

II



ORDER LOGISTICS

MASTERBOX
12 pieces**DIMENSIONS**
61 x 47 x 69 cm**WEIGHT**
12 kg

KASK DURABILITY

3 YEAR
GUARANTEE**10** YEAR
LIFE SPAN

KASK

SUPERPLASMA PL

The preferred choice for active and above-ground applications.

WHE00108
EN 12492



— 84



WHE00108-201
WHITE



WHE00108-202
YELLOW



WHE00108-203
ORANGE



WHE00108-204
RED



WHE00108-208
BLUE



WHE00108-209
ANTHRACITE



WHE00108-210
BLACK



WHE00108-214
PINK

FEATURED TECHNOLOGIES



UP & DOWN SYSTEM



2DRY LINER



RING TO HOOK



EARMUFF ADAPTER ATTACHMENT POINTS



ANTI-INTRUSION MESH



VENTILATION CHANNELS



VISOR ATTACHMENT POINTS



INTEGRATED LAMP CLIPS



TECHNICAL DETAILS

**MATERIAL**EXTERNAL SHELL:
HD PolypropyleneINTERNAL SHELL:
HD Expanded PolystyreneHEADBAND:
Soft PA Nylon**SIZE**Universal-adjustable
from 51 to 62 cm**STANDARD**

EN 12492

CE UK CA

**WEIGHT**

420 g

**TEMPERATURE OF USE**

-20°C / +35°C

**CATEGORY**

II

ORDER LOGISTICS

MASTERBOX
28 pieces**DIMENSIONS**
82 x 54 x 47 cm**WEIGHT**
17 kg

KASK DURABILITY

3 YEAR
GUARANTEE**10** YEAR
LIFE SPAN

KASK

SUPERPLASMA PL HI VIZ

The preferred choice for active and above-ground applications.
Available in high-visibility color options.

WHE00109
EN 12492



— 86



WHE00109-201
WHITE



WHE00109-210
BLACK



WHE00109-221
YELLOW FLUO



WHE00109-223
RED FLUO



WHE00109-224
LIME FLUO

FEATURED TECHNOLOGIES



UP & DOWN SYSTEM



2DRY LINER



RING TO HOOK



EARMUFF ADAPTER ATTACHMENT POINTS



ANTI-INTRUSION MESH



VENTILATION CHANNELS



VISOR ATTACHMENT POINTS



INTEGRATED LUMINESCENT LAMP CLIPS



HI-VIZ DETAILS



TECHNICAL DETAILS

**MATERIAL**EXTERNAL SHELL:
HD PolypropyleneINTERNAL SHELL:
HD Expanded PolystyreneHEADBAND:
Soft PA Nylon**SIZE**Universal-adjustable
from 51 to 62 cm**STANDARD**

EN 12492

CE UK CA

**WEIGHT**

420 g

**TEMPERATURE OF USE**

-20°C / +35°C

**CATEGORY**

II

ORDER LOGISTICS

MASTERBOX
28 pieces**DIMENSIONS**
82 x 54 x 47 cm**WEIGHT**
17 kg

KASK DURABILITY

3 YEAR
GUARANTEE**10** YEAR
LIFE SPAN



KASK

EYE & FACE PROTECTION

— 88

SEE EASY

An advanced range of eye and face protection solutions designed to meet workers' needs for an expanding variety of dynamic hazardous environments.

OVERVIEW OF SELECT STANDARDS FOR KASK EYE & FACE PROTECTION

EUROPEAN STANDARDS

EN 166

The core European safety standard required for eye and face protection. Includes a number of sub-categories.

SUPPLEMENTAL STANDARDS*

- EN 167** – Optical test methods
- EN 168** – Non-optical test methods
- EN 169** – Welding filters and related techniques
- EN 170** – Ultraviolet (UV) filters
- EN 171** – Infrared filters
- EN 172** – Solar filters for industrial use
- EN 1731** – Mesh face protection
- EN 379** – Automatic welding filters
- DGUV GS ET29 / ET30** – Arc flash protection

MARKINGS*

OPTICAL CLASS

- 1** – Best optical quality, for regular use
- 2** – Lesser optical quality, for occasional use
- 3** – Lowest optical quality, for exceptional use

LIGHT PROTECTION CODE

- NONE** – Welding filter
- 2** – Ultraviolet filter
- 2C** – Ultraviolet filter with good color recognition
- 4** – Infrared filter
- 5** – Solar filter
- 6** – Solar filter with infrared protection

LIGHT PROTECTION GRADUATION

- 1.2** – Clear
- 1.7** – Yellow, clear with mirror finishing, UVR
- 2.5** – Brown, smoke
- 3.1** – Green, smoke with mirror finishing
- 3,2,5,...11** – Welding

MECHANICAL PROTECTION

- A (T)** – Resistance to high speed/high energy impact
 - B (T)** – Resistance to high speed/medium energy impact
 - F (T)** – Resistance to high speed/low energy impact
 - S** – Increased robustness
- A, B, or F, followed by T, indicates extreme temperature impact protection (-5°C / +55°C)

FIELD OF USE

- 3** – Protection against liquid droplets, splashes
- 4** – Protection against large dust particles
- 5** – Protection against fine dust particles
- 8** – Protection against short circuit electric arcs
- 9** – Protection against molten metal and hot solids

OPTIONAL REQUIREMENTS

- K** – Protection against fine dust particles
- N** – Resistance to lens fogging
- H** – Products designed for small heads
- R** – Enhanced infrared reflectance

EN 14458

A European standard for high performance visors used with protective helmets for firefighting, ambulance and emergency services.

MARKINGS*

CLASSIFICATION

- =** – General use
- +** – Firefighter use
- NONE** – Net visors

PROTECTED AREA

- ☺ – Face protection
- ☉ – Eye protection

MECHANICAL & LIGHT PROTECTION

(same as per EN166)

AMERICAN STANDARDS

ANSI Z87.1

The U.S. safety standard for testing, marking, and maintaining eye and face protection – includes sub-categories.

SUPPLEMENTAL STANDARDS*

- ASTM F2178** – Arc flash protection

MARKINGS*

MECHANICAL PROTECTION

- Z87** – General lens and frame impact resistance
- Z87+** – Impact mark

FILTER PERFORMANCE

- NONE** – Clear lens
- U** – Ultraviolet filter
- V** – Variable tint filter
- W** – Welding filter
- L** – Visible light filter
- R** – Infrared filter
- X** – Anti-fog filter
- S** – Special purpose lenses

Symbols are followed by a number, indicating filter performance level

FIELD OF USE

- D3** – Protection against droplets, splashes
- D4** – Protection against dust
- D5** – Protection against fine dust

* There are a number of standards and markings for eye and face protection. Selected ones are described here. Contact a KASK representative for additional information.

MARKINGS OVERVIEW.

		STANDARDS **ADDITIONAL ANSI / CSA TESTING	VLT	COMPATIBLE HELMETS
ZEN VISOR	CLEAR	EN 166 - EN 170 - ANSI Z87.1	89%	ZENITH X / PRIMERO
	SMOKE	EN 166 - EN 172 - ANSI Z87.1	65%	ZENITH X / PRIMERO
	SILVER MIRROR	EN 166 - EN 172 - ANSI Z87.1	26%	ZENITH X / PRIMERO
ZEN FOAM VISOR	CLEAR	EN 166 - EN 170 - ANSI Z87.1	89%	ZENITH X / PRIMERO
	SMOKE	EN 166 - EN 172 - ANSI Z87.1	65%	ZENITH X / PRIMERO
	SILVER MIRROR	EN 166 - EN 172 - ANSI Z87.1	26%	ZENITH X / PRIMERO
ZEN VISOR MM PM	METAL MESH	EN 166 - EN 1731 - ANSI Z87.1	-	ZENITH X / PRIMERO
	PLASTIC MESH	EN 166 - EN 1731 - ANSI Z87.1	-	ZENITH X / PRIMERO
ZEN FF VISOR	CLEAR	EN 166 - EN 170 - ANSI Z87.1	90%	ZENITH X / PRIMERO
	SMOKE	EN 166 - EN 170 - ANSI Z87.1	22%	ZENITH X / PRIMERO
ZEN FACE SHIELD	CLEAR	EN 166 - ANSI Z87.1	90%	ZENITH X / PRIMERO
ARC VISOR CLASS 1	CLEAR	ISO 16321 - DGUV GS ET29	88%	ZENITH X / PRIMERO
ARC VISOR CLASS 2 ERGO	SMOKE	ISO 16321 - DGUV GS ET29 **ASTM F2178: ATPV 12.0 cal/cm ² ARC 2	43%	ZENITH X / PRIMERO
V2 PLUS VISOR	CLEAR	EN 166 - EN 14458 - EN 170 - ANSI Z87.1	85%	SUPERPLASMA AQ HP PL
	SMOKE	EN 166 - EN 14458 - EN 172 - ANSI Z87.1	62.5%	SUPERPLASMA AQ HP PL
	SILVER MIRROR	EN 166 - EN 14458 - EN 172 - ANSI Z87.1	26.5%	SUPERPLASMA AQ HP PL
FULL FACE VISOR	CLEAR	EN 166 - EN 170 - ANSI Z87.1	88%	SUPERPLASMA AQ HP PL
	SMOKE	EN 166 - EN 172 - ANSI Z87.1	37%	SUPERPLASMA AQ HP PL
	SILVER MIRROR	EN 166 - EN 172 - ANSI Z87.1	32%	SUPERPLASMA AQ HP PL
MESH VISOR	STEEL MESH	EN 166 - EN 1731 - ANSI Z87.1	-	SUPERPLASMA AQ HP PL
FACE SHIELD	CLEAR	EN 166 - ANSI Z87.1	90%	SUPERPLASMA AQ HP PL

CATEGORY	LIGHT PROTECTION & GRADUATION	OPTICAL CLASS	MECHANICAL PROTECTION	OPTIONAL PROTECTION	FIELDS OF USE	ELECTRICAL ARC PROTECTION	CLASS	TRANSMISSION CLASS	CLASSIFICATION	PROTECTED AREA	EXTREME TEMPERATURE	ABRASION RESISTANCE	MOLTEN METAL/SOLID LIQUID	IMPACT RESISTANCE	UV FILTER	VISIBLE LIGHT FILTER	ANTI-FOGGING	SPLASH/DROPLETS PROTECTION
----------	-------------------------------	---------------	-----------------------	---------------------	---------------	---------------------------	-------	--------------------	----------------	----------------	---------------------	---------------------	---------------------------	-------------------	-----------	----------------------	--------------	----------------------------

EN 166

DGUV GS

EN 14458

ANSI Z87.1

II	2C-1.2	1	BT	KN	-	-	-	-	-	-	-	-	-	+	U6	-	X	D3
II	5-1.4	1	BT	KN	-	-	-	-	-	-	-	-	-	+	U6	L1.5	X	D3
II	5-2.5	1	BT	KN	-	-	-	-	-	-	-	-	-	+	U6	L2.5	X	D3
II	2C-1.2	1	BT	KN	-	-	-	-	-	-	-	-	-	+	U6	-	X	D3
II	5-1.4	1	BT	KN	-	-	-	-	-	-	-	-	-	+	U6	L1.5	X	D3
II	5-2.5	1	BT	KN	-	-	-	-	-	-	-	-	-	+	U6	L2.5	X	D3
II	-	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II	-	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II	2C-1.2	1	BT	KN	3-9	-	-	-	-	-	-	-	-	+	U6	-	X	D3
II	5-2.5	1	BT	KN	3-9	-	-	-	-	-	-	-	-	+	U6	L2.5	X	D3
II	-	1	F	-	3	-	-	-	-	-	-	-	-	-	-	-	-	D3
III	UL1.2*	-	E*	-	6*	8	1	0	-	-	-	-	-	-	U6	-	-	-
III	UL2*	-	E*	-	6-9*	8	2	2	-	-	-	-	-	-	U6	-	-	-
II	2C-1.2	1	BT	KN	-	-	-	-	=	-	-30°C / +50°C	YES	YES	+	U6	-	X	D3
II	5-1.4	1	BT	KN	-	-	-	-	=	-	-30°C / +50°C	YES	YES	+	U6	L1.5	X	D3
II	5-2.5	1	BT	KN	-	-	-	-	=	-	-30°C / +50°C	YES	YES	+	U6	L2.5	X	D3
II	2C-1.2	2	BT	KN	3-9	-	-	-	-	-	-	-	-	+	-	-	X	D3
II	5-2	2	BT	KN	3-9	-	-	-	-	-	-	-	-	+	U6	L2	X	D3
II	5-2	2	BT	KN	3-9	-	-	-	-	-	-	-	-	+	U6	L2	X	D3
II	-	-	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II	-	1	F	-	3	-	-	-	-	-	-	-	-	-	-	-	-	D3

* Corresponds to standard ISO 16321

OVERVIEW OF TECHNOLOGIES.

**ABRASION AND DUST RESISTANCE**

Lens treatment designed with protection from abrasion and dust or increased durability and viewing clarity.

**CUT PROOF EDGE**

Eye shield edge detail designed with a cut proof edge for enhanced wearer safety.

**ANTI-FOG**

Equipped with an anti-fog treatment to increase wearer visibility when active and in a variety of conditions.

**DEBRIS PROTECTION**

Designed with a reinforced frame for protection against debris.

**COMPATIBLE WITH GLASSES**

Designed for use over corrective glasses.

**DRIP PROOF UPPER CONTOUR**

Rubber edge protects eyes from liquid and debris from entering the visor.

**> CRI 95**

Designed with excellent Color Rendering Index performance for greater color contrast and visibility.

**EXTREME TEMP IMPACT RESISTANCE**

Able to withstand impacts at extreme temperatures for use in a variety of environments.

**HEXAGONAL MESH**

Hexagonal matrix pattern enables airflow, visibility, and durability.

**SEE-THROUGH CHIN PROTECTION**

Equipped with transparent chin protection for enhanced range of worksite visibility.

**MICRO VENTILATION**

Provides airflow and breathability while resisting debris intrusion.

**STABLE CARRIER**

Reinforced face shield carrier for added protection and durability.

**PANORAMIC LENS**

Developed to maximize visibility with minimal viewing distortion.

**ANTI-INTRUSION GUARDS**

High-comfort, polyurethane foam that protects from dust, liquid, and chemical splashes.

**SCRATCH RESISTANCE**

Equipped with a scratch-resistant treatment for increased durability.



ZEN VISOR

WVI00007

EN 166 - EN 170 (clear) - EN 172 (smoke, silver mirror) - ANSI Z87.1



OPTIONS



WVI00007-500
CLEAR



WVI00007-510
SMOKE



WVI00007-520
SILVER MIRROR

COMPATIBLE WITH SERIES



ZENITH X



PRIMERO

ALL VISORS NEED ADAPTERS (WAC00009) TO BE MOUNTED ON HELMET.

TECHNICAL DETAILS

MATERIAL Polycarbonate	STANDARD EN 166 EN 170 (clear) EN 172 (smoke) ANSI Z87.1
OPTICAL CLASS 1	

WEIGHT
80 g

LENGTH
110 mm



CATEGORY
II

MARKINGS* CLEAR

ZEN | YY/MM | CE | 2C-1,2 | KASK | 1BTKN | EN 166BT | ANSI Z87+ U6 X D3

*VLT differs for smoke

ORDER LOGISTICS

MASTERBOX DIMENSIONS	36 pieces 78 x 48 x 50 cm
WEIGHT	10 kg

FEATURED TECHNOLOGIES



ANTI-FOG SCRATCH RESISTANT PANORAMIC LENS CUT PROOF EDGE DRIP PROOF UPPER CONTOUR



COMPATIBLE WITH GLASSES EASY CLICK ADAPTERS

ZENITH X | PRIMERO KIT

ZEN VISOR KIT

WKI00002

EN 166 - EN 170 (clear) - EN 172 (smoke, silver mirror) - ANSI Z87.1



OPTIONS



WKI00002-500
KIT ZEN VISOR
CLEAR



WKI00002-510
KIT ZEN VISOR
SMOKE



WKI00002-520
KIT ZEN VISOR
SILVER MIRROR

KIT INCLUDES



WVI00007-500 | 510 | 520
VISOR WAC00009
ADAPTERS

TECHNICAL DETAILS

MATERIAL Polycarbonate	STANDARD EN 166 EN 170 (clear) EN 172 (smoke) ANSI Z87.1
OPTICAL CLASS 1	

WEIGHT
80 g

LENGTH
110 mm



CATEGORY
II

MARKINGS* CLEAR

ZEN | YY/MM | CE | 2C-1,2 | KASK | 1BTKN | EN 166BT | ANSI Z87+ U6 X D3

*VLT differs for smoke

ORDER LOGISTICS

MASTERBOX DIMENSIONS	36 pieces 78 x 48 x 50 cm
WEIGHT	10 kg

FEATURED TECHNOLOGIES



ANTI-FOG SCRATCH RESISTANT PANORAMIC LENS CUT PROOF EDGE DRIP PROOF UPPER CONTOUR



COMPATIBLE WITH GLASSES EASY CLICK ADAPTERS

ZENITH X | PRIMERO

ZEN FF VISOR

WVI00008

EN 166 - EN 170 (clear) - EN 172 (smoke) - ANSI Z87.1



OPTIONS

WVI00008-500
CLEARWVI00008-510
SMOKE

COMPATIBLE WITH SERIES



ZENITH X



PRIMERO

ALL VISORS NEED ADAPTERS (WAC00009) AND VISOR CARRIER (WAC00010) TO BE MOUNTED ON HELMET.

TECHNICAL DETAILS

MATERIAL Polycarbonate	STANDARD EN 166 EN 170 (clear) EN 172 (smoke) ANSI Z87.1
OPTICAL CLASS 1	

WEIGHT
120 g**LENGTH**
190 mm**CATEGORY**
II

MARKINGS* CLEAR

ZEN FF | YY/MM | CE | 2C - 1,2 | KASK | 1 | BT | 3 | 9 |
KN | ANSI Z87+ U6 X D3

*VLT differs for smoke

ORDER LOGISTICS

MASTERBOX	24 pieces
DIMENSIONS	78 x 48 x 50 cm
WEIGHT	8 kg

FEATURED TECHNOLOGIES



ANTI-FOG SCRATCH RESISTANT PANORAMIC LENS DEBRIS PROTECTION COMPATIBLE WITH GLASSES



EASY CLICK ADAPTERS CUT PROOF EDGE DRIP PROOF UPPER CONTOUR

ZENITH X | PRIMERO KIT

ZEN FF VISOR KIT

WKI00003

EN 166 - EN 170 (clear) - EN 172 (smoke, silver mirror) - ANSI Z87.1



OPTIONS

WKI00003-500
KIT ZEN VISOR CLEARWKI00003-510
KIT ZEN VISOR SMOKE

KIT INCLUDES

WVI00008-500 | 510
FF VISOR WAC00009
ADAPTERS WAC00010
VISOR CARRIER

TECHNICAL DETAILS

MATERIAL Polycarbonate	STANDARD EN 166 EN 170 (clear) EN 172 (smoke) ANSI Z87.1
OPTICAL CLASS 1	

WEIGHT
120 g**LENGTH**
190 mm**CATEGORY**
II

MARKINGS* CLEAR

ZEN FF | YY/MM | CE | 2C - 1,2 | KASK | 1 | BT | 3 | 9 |
KN | ANSI Z87+ U6 X D3

*VLT differs for smoke

ORDER LOGISTICS

MASTERBOX	36 pieces
DIMENSIONS	78 x 48 x 50 cm
WEIGHT	10 kg

FEATURED TECHNOLOGIES



ANTI-FOG SCRATCH RESISTANT PANORAMIC LENS DEBRIS PROTECTION COMPATIBLE WITH GLASSES



EASY CLICK ADAPTERS CUT PROOF EDGE DRIP PROOF UPPER CONTOUR



ZEN FOAM VISOR

WVI00032 - WVI00033
EN 1731 - ANSI Z87.1



OPTIONS



WVI00032-500
CLEAR | S



WVI00032-510
SMOKE | S



WVI00032-520
SILVER MIRROR | S



WVI00033-500
CLEAR | M



WVI00033-510
SMOKE | M



WVI00033-520
SILVER MIRROR | M

COMPATIBLE WITH SERIES



ZENITH X



PRIMERO

ALL VISORS NEED ADAPTERS (WAC00009) TO BE MOUNTED ON HELMET.

TECHNICAL DETAILS

MATERIAL
Polycarbonate

WEIGHT
90 g

OPTICAL CLASS
1

CATEGORY
II

STANDARD
EN 166 / ANSI Z87.1
EN 170 (clear)



TEMPERATURE OF USE
-5°C / +55°C

II

MARKINGS

ZEN FOAM | YY/MM | CE | UK CA | 2C-1,2 | KASK | 1BTKN | EN 166BT | ANSI Z87+ U6 X D3

ORDER LOGISTICS

MASTERBOX 36 pieces
DIMENSIONS 78 x 48 x 50 cm
WEIGHT 10 kg

FEATURED TECHNOLOGIES



ZEN FACE SHIELD

WVI00022
EN 166 - ANSI Z87.1



OPTIONS



WVI00022
CLEAR

COMPATIBLE WITH SERIES



ZENITH X



PRIMERO

FACE SHIELD NEEDS ADAPTERS (WAC00009) AND VISOR CARRIER (WAC00010) TO BE MOUNTED ON HELMET.

TECHNICAL DETAILS

MATERIAL
Polycarbonate

OPTICAL CLASS
1

WEIGHT
70 g

LENGTH
190 mm

STANDARD
EN 166
ANSI Z87.1



CATEGORY
II

II

MARKINGS

ZEN FS | YY/MM | CE | KASK | 1 F 3 | EN 166 | ANSI Z87 D3

ORDER LOGISTICS

MASTERBOX 50 pieces
DIMENSIONS 38 x 21 x 15 cm
WEIGHT 5 kg

FEATURED TECHNOLOGIES



ZENITH X | PRIMERO

ZEN METAL MESH VISOR

WVI00009

EN 1731-ANSI Z87.1



OPTIONS

WVI00009
METAL

COMPATIBLE WITH SERIES



ZENITH X



PRIMERO

MESH VISOR NEEDS ADAPTERS (WAC00009) AND VISOR CARRIER (WAC00010) TO BE MOUNTED ON HELMET.

TECHNICAL DETAILS

MATERIAL
Metal**STANDARD**
EN 1731
ANSI Z87.1**WEIGHT**
100 g**LENGTH**
190 mm**LIGHT TRANSMISSION**
50%**CATEGORY**
II

MARKINGS

KASK | CE | EN 1731S - ANSI Z87 | ZEN | MM | MM/YYYY

FEATURED TECHNOLOGIES

MICRO
VENTILATIONDEBRIS
PROTECTIONCOMPATIBLE
WITH
GLASSESEASY CLICK
ADAPTERS

ORDER LOGISTICS

MASTERBOX 24 pieces
DIMENSIONS 78 x 48 x 50 cm
WEIGHT 8 kg

ZENITH X | PRIMERO KIT

ZEN METAL MESH KIT

WKI00005

EN 1731-ANSI Z87.1



OPTIONS

WKI00005
METAL

KIT INCLUDES

WVI00009
METALWAC00009
ADAPTERSWAC00010
VISOR CARRIER

FEATURED TECHNOLOGIES

MICRO
VENTILATIONDEBRIS
PROTECTIONCOMPATIBLE
WITH
GLASSESEASY CLICK
ADAPTERS

TECHNICAL DETAILS

MATERIAL
Metal**STANDARD**
EN 1731
ANSI Z87.1**WEIGHT**
100 g**LENGTH**
190 mm**LIGHT TRANSMISSION**
50%**CATEGORY**
II

MARKINGS

ZEN | YY/MM | CE | 2C-1,2 | KASK | 1BTKN | EN 166BT | ANSI Z87+ U6 X D3

*VLT differs for smoke

ORDER LOGISTICS

MASTERBOX 36 pieces
DIMENSIONS 78 x 48 x 50 cm
WEIGHT 10 kg

ZEN PLASTIC MESH VISOR

WVI00010
EN 1731-ANSI Z87.1



OPTIONS



WVI00010
PLASTIC

COMPATIBLE WITH SERIES



ZENITH X



PRIMERO

MESH VISOR NEEDS ADAPTERS (WAC00009) AND VISOR CARRIER (WAC00010) TO BE MOUNTED ON HELMET.

TECHNICAL DETAILS

MATERIAL
Plastic

WEIGHT
70 g

LENGTH
190 mm

CATEGORY
II

STANDARD
EN 1731
ANSI Z87.1



LIGHT TRANSMISSION
50%

MARKINGS

KASK | CE | EN 1731S - ANSI Z87 | ZEN | PM | MM/YYYY

ORDER LOGISTICS

MASTERBOX 24 pieces
DIMENSIONS 78 x 48 x 50 cm
WEIGHT 8 kg

FEATURED TECHNOLOGIES



MICRO VENTILATION



DEBRIS PROTECTION



COMPATIBLE WITH GLASSES



EASY CLICK ADAPTERS

ZENITH X | PRIMERO KIT

MOUNT KIT

WKI00009 | MOUNT KIT ZEN FF/MM/PM/FS



KIT INCLUDES



ORDER LOGISTICS

MASTERBOX 20 pieces
DIMENSIONS 54 x 82 x 47 cm
WEIGHT 7 kg

COMPATIBLE WITH SERIES



ZENITH X



PRIMERO

WKI00012 | BRIM KIT



KIT INCLUDES



ORDER LOGISTICS

MASTERBOX 24 pieces
DIMENSIONS 49 x 79 x 52 cm
WEIGHT 4 kg

COMPATIBLE WITH SERIES



ZENITH X



PRIMERO

ZENITH X CLOSED SHELL | PRIMERO CLOSED SHELL

ARC VISOR CLASS 1

WVI00014

ISO 16321 - DGVU GS ET29



OPTIONS

WVI00014
CLEAR

COMPATIBLE WITH SERIES



ZENITH X



PRIMERO

ARC FLASH MOUNTS WITHOUT ANY ADAPTER.

TECHNICAL DETAILS

MATERIAL
Polycarbonate**STANDARD**
ISO 16321-1
DGVU GS-ET-29
GS-ET-29 (Box-Test)
Class 1 / APC 1**WEIGHT**
300 g**LENGTH**
245 mm**CATEGORY**
III

MARKINGS

16321 KASK UL1,2 E 6
GS-ET-29 8-1-0 APC 1

ORDER LOGISTICS

MASTERBOX 10 pieces
DIMENSIONS 60 x 40 x 40 cm
WEIGHT 4,5 kg

FEATURED TECHNOLOGIES



ANTI-FOG PANORAMIC LENS COMPATIBLE WITH GLASSES SCRATCH RESISTANT DRIP PROOF UPPER CONTOUR



> CRI 95 STABLE CARRIER ELECTRIC ARC PROTECTION

ZENITH X CLOSED SHELL | PRIMERO CLOSED SHELL

ARC VISOR CLASS 2 ERGO

WVI00034

ISO 16321 - DGVU GS ET29 | ASTM F2178: ATPV 12.0 cal/cm² ARC 2

OPTIONS

WVI00034
SMOKE

COMPATIBLE WITH SERIES



ZENITH X



PRIMERO

ARC FLASH MOUNTS WITHOUT ANY ADAPTER.

TECHNICAL DETAILS

MATERIAL
Polycarbonate**STANDARD**
ISO 16321-1
DGVU GS-ET-29
ANSI Z87.1
ASTM F2178
CSA Z94.3**WEIGHT**
370 g**LENGTH**
215 mm**GS-ET-29 (Box-Test)**
Class 2 / APC 2**ATPV**
12 cal/cm², ARC 2**CATEGORY**
III

MARKINGS

16321 KASK UL2 E 6 9 / GS-ET-29 8-2-2 APC 2
ATPV 12 cal/cm² / ANSI / ISEA Z87.1 KASK Z87 + U6
CSA Z94.3 KASK 2.0

ORDER LOGISTICS

MASTERBOX 8 pieces
DIMENSIONS 60 x 40 x 40 cm
WEIGHT 4,6 kg

FEATURED TECHNOLOGIES



ANTI-FOG PANORAMIC LENS COMPATIBLE WITH GLASSES SCRATCH RESISTANT DRIP PROOF UPPER CONTOUR



> CRI 95 STABLE CARRIER SEE-THROUGH CHIN PROTECTION ELECTRIC ARC PROTECTION



V2 PLUS VISOR

WVI00018

EN 166 - EN 14458 - EN 170 (clear) - EN 172 (smoke, silver mirror) - ANSI Z87.1



OPTIONS



WVI00018-500
CLEAR



WVI00018-510
SMOKE



WVI00018-520
SILVER MIRROR

COMPATIBLE WITH SERIES



SUPERPLASMA

SCREW SET FOR MOUNTING IS INCLUDED IN EVERY VISOR.



TECHNICAL DETAILS

MATERIAL Polycarbonate	STANDARD EN 166 / EN 14458 EN 170 (clear) EN 172 (smoke, silver mirror) ANSI Z87.1
OPTICAL CLASS 1	
WEIGHT 80 g	
LENGTH 110 mm	CATEGORY II

MARKINGS* CLEAR

EN14458:2018 | KASK | V2B | YY/MM | = | ⊙ | BT | K |
2C-1,2 CE | 2C-1,2 | KASK | EN 166 | 1 | BT | K | N |
ANSI Z87+ U6 X D3

*VLT differs for smoke and silver mirror

ORDER LOGISTICS

MASTERBOX	42 pieces
DIMENSIONS	78 x 48 x 50 cm
WEIGHT	11 kg

FEATURED TECHNOLOGIES



FULL FACE VISOR

WVI00003

EN 166 - EN 170 (clear) - EN 172 (smoke, silver mirror) - ANSI Z87.1



OPTIONS



WVI00003-500
CLEAR



WVI00003-510
SMOKE



WVI00003-520
SILVER MIRROR

COMPATIBLE WITH SERIES



SUPERPLASMA

SCREW SET FOR MOUNTING IS INCLUDED IN EVERY VISOR.



TECHNICAL DETAILS

MATERIAL Polycarbonate	STANDARD EN 166 EN 170 (clear) EN 172 (smoke, silver mirror) ANSI Z87.1
OPTICAL CLASS 2	
WEIGHT 120 g	
LENGTH 190 mm	CATEGORY II

MARKINGS* CLEAR

FULL FACE | YY/MM | CE | 2C - 1,2 | KASK | 2 BT | K |
N | EN 166 | ANSI Z87+ U6 X D3

*VLT differs for smoke and silver mirror

ORDER LOGISTICS

MASTERBOX	24 pieces
DIMENSIONS	78 x 48 x 50 cm
WEIGHT	8 kg

FEATURED TECHNOLOGIES



SUPERPLASMA FACE SHIELD

WVI00024
EN 166 - ANSI Z87.1



OPTIONS



WVI00024-500
CLEAR

COMPATIBLE WITH SERIES



SUPERPLASMA

SCREW SET FOR MOUNTING IS INCLUDED IN EVERY VISOR.



TECHNICAL DETAILS

MATERIAL
Polycarbonate

STANDARD
EN 166
ANSI Z87.1

OPTICAL CLASS
1

CE UK CA

WEIGHT
70 g

CATEGORY
II

LENGTH
180 mm

MARKINGS* CLEAR

PLASMA FS | YY/MM | KASK | 1 F - EN 166 3 F | CE |
ANSI Z87 D3

*VLT differs for smoke and silver mirror

ORDER LOGISTICS

MASTERBOX 50 pieces
DIMENSIONS 50 x 81 x 31 cm
WEIGHT 6 kg

FEATURED TECHNOLOGIES



PANORAMIC
LENS



COMPATIBLE
WITH
GLASSES



DRIP PROOF
UPPER CONTOUR

SUPERPLASMA MESH VISOR

WVI00006
EN 1731 - ANSI Z87.1



MOUNTING PARTS



WVI00006
MESH VISOR

+



WVI00005
MESH VISOR
CARRIER

+



WAC00003
EARMUFF ADAPTERS

+



WAC00008
VISOR CARRIER
ATTACHMENT

=



OR



WHP00004/5/6
EARMUFFS

=



MESH VISOR IS COMPATIBLE ONLY WITH SUPERPLASMA HELMETS.
SPARE PARTS ARE NOT INCLUDED IN ANY KIT.

TECHNICAL DETAILS

MATERIAL
Metal and
polypropylene

STANDARD
EN 1731
ANSI Z87.1

LIGHT TRANSMISSION
82-85,5%

CE UK CA

LENGTH
190 mm

CATEGORY
II

WEIGHT
42 g

MARKINGS

EN 1731 / F ANSI Z87

ORDER LOGISTICS

MASTERBOX 24 pieces
DIMENSIONS 78 x 48 x 50 cm
WEIGHT 8 kg

FEATURED TECHNOLOGIES



MICRO
VENTILATION



HEXAGONAL
MESH



DEBRIS
PROTECTION



COMPATIBLE
WITH
GLASSES



HEARING PROTECTION

— 102

SOUND SAFETY

A selection of non-conductive earmuffs that integrate seamlessly with helmets to reduce noise levels in high-volume environments.





KASK
SC2
CE EN133
CE12522

OVERVIEW OF TECHNOLOGIES.

**CERTIFIED FOR USE WITH KASK HELMETS**

Performance tested on all KASK helmets.

**COLOR CODED PERFORMANCE LEVEL**

Color coded to indicate noise reduction performance level.

**EASY SIZE ADJUSTMENT**

Designed to adjust seamlessly for almost any headshape or size.

**NON-CONDUCTIVE**

Designed to not conduct heat or electricity.

**STANDARD 30 mm SLOT**

Designed to attach in 30 mm EURO slots.



EARMUFFS SC1

WHP00004
EN 352-3 / ANSI S3.19



TECHNICAL DETAILS

MATERIAL
EAR CUPS AND
SPACER:
ABS thermoplastic

FOAM LINER:
Polyether

WEIGHT
280 g

STANDARD
EN 352-3
ANSI S3.19

CE 1974
UK
CA

CATEGORY
III

DESCRIPTION

Green-colored earmuffs used in environments with low-to-medium noise levels. Typical applications include: general industrial work areas. Compatible with all KASK helmets.

SNR / NRR

SNR (EN 352-3)
All KASK helmets 25 dB (A)
H 27 dB - M 23 dB - L 16 dB

NRR (ANSI S3.19)
22 dB

ORDER LOGISTICS

MASTERBOX 20 pieces
DIMENSIONS 55 x 30 x 35 cm
WEIGHT 9 kg

COMPATIBLE WITH SERIES



ZENITH X

PRIMERO

SUPERPLASMA

SUPERPLASMA HELMET SERIES REQUIRE EARMUFFS ADAPTERS (WAC00003) FOR MOUNTING.

FEATURED TECHNOLOGIES



STANDARD
30 mm SLOT



COLOR CODED
PERFORMANCE
LEVEL



EASY SIZE
ADJUSTMENT



NON-
CONDUCTIVE



CERTIFIED FOR
USE WITH KASK
HELMET

EARMUFFS SC2

WHP00005
EN 352-3 / ANSI S3.19



TECHNICAL DETAILS

MATERIAL
EAR CUPS AND
SPACER:
ABS thermoplastic

FOAM LINER:
Polyether

WEIGHT
320 g

STANDARD
EN 352-3
ANSI S3.19

CE 1974
UK
CA

CATEGORY
III

DESCRIPTION

Yellow-colored earmuffs used in environments with medium-to-high noise levels. Typical applications include: building and construction, forestry use, industrial areas, production areas, agriculture, etc. Compatible with all KASK helmets.

SNR / NRR

SNR (EN 352-3)
All KASK helmets 29 dB (A)
H 31 dB - M 27 dB - L 20 dB

NRR (ANSI S3.19)
24 dB

ORDER LOGISTICS

MASTERBOX 20 pieces
DIMENSIONS 55 x 30 x 35 cm
WEIGHT 10 kg

COMPATIBLE WITH SERIES



ZENITH X

PRIMERO

SUPERPLASMA

SUPERPLASMA HELMET SERIES REQUIRE EARMUFFS ADAPTERS (WAC00003) FOR MOUNTING.

FEATURED TECHNOLOGIES



STANDARD
30 mm SLOT



COLOR CODED
PERFORMANCE
LEVEL



EASY SIZE
ADJUSTMENT



NON-
CONDUCTIVE



CERTIFIED FOR
USE WITH KASK
HELMET

EARMUFFS

SC3

WHP00006

EN 352-3 / ANSI S3.19



DESCRIPTION

Orange-colored earmuffs used in environments with high noise levels. Typical applications include: airports, car racing, while using pneumatic drills, etc. Compatible with all KASK helmets.

COMPATIBLE WITH SERIES



ZENITH X

PRIMERO

SUPERPLASMA

TECHNICAL DETAILS

MATERIAL
EAR CUPS AND SPACER:
ABS thermoplastic

FOAM LINER:
Polyether

WEIGHT
350 g

STANDARD
EN 352-3
ANSI S3.19



CATEGORY
III

SNR / NRR

SNR (EN 352-3)
All KASK helmets 31 dB (A)
H 32 dB - M 30 dB - L 21 dB

NRR (ANSI S3.19)
27 dB

ORDER LOGISTICS

MASTERBOX 20 pieces
DIMENSIONS 55 x 30 x 35 cm
WEIGHT 9 kg

FEATURED TECHNOLOGIES



STANDARD
30 mm SLOT



COLOR CODED
PERFORMANCE
LEVEL



EASY SIZE
ADJUSTMENT



NON-
CONDUCTIVE



CERTIFIED FOR
USE WITH KASK
HELMET

SUPERPLASMA HELMET SERIES REQUIRE EARMUFFS ADAPTERS (WAC00003) FOR MOUNTING.

WEATHER PROTECTION

— 108

CLIMATE COMFORT

Accessories that integrate with KASK helmets helping workers better handle environmental elements in comfort.



OVERVIEW OF TECHNOLOGIES.

**ADJUSTABLE SIDE COVERAGE**

Allows quick and easy adjustments while being worn.

**EASY ATTACHMENT SYSTEM**

Integrated slots in helmet that enable attachment of accessories.

**BREATHABLE**

Designed to be breathable with increased airflow.

**ERGONOMIC FIT**

Designed with an ergonomic neck cut for optimal head movement.

**CLICK-IN ATTACHMENT**

Easy-to-use system that attaches directly to the helmet allowing secure accessory connections.

**FORM FITTING**

Designed to work with helmets without compromising fit.

**COLD RESISTANT**

Insulated accessories for enhanced comfort and protection in cold environments.

**HYDRO OIL REPELLENT**

Protects and repels from water and oil infiltration.

**EARMUFF COMPATIBLE**

Can be used with KASK hearing protection.

**MOISTURE-WICKING**

Designed with a fabric for dispersing sweat and moisture.



NECK AND EAR PROTECTION

Designed to protect the neck and ears from weather and the environmental elements.



WATERPROOF

Designed with rain protection of up to 10 meters of water column.



UNDERSURFACE SUN REFLECTION

A black undersurface prevents sun reflection and enhances all-day comfort.



WIND RESISTANT

Protects from light wind without affecting breathability.



UV PROTECTION

Treated to protect from sunlight and block ultraviolet rays.



WINDPROOF

Blocks wind for added comfort in varying weather conditions.



WATER RESISTANT

Designed with light rain protection and water repellency.



NECK SHADE

WAC00020 | HI VIZ - WAC00024
AS/NZS 4399:2017 / AATCC 183:2014

OPTIONS



WAC00020-313
GREY



WAC00024-222
ORANGE FLUO



WAC00024-221
YELLOW FLUO

COMPATIBLE WITH SERIES



SUPERPLASMA

NECK SHADE IS MOUNTED VIA HOOK-AND-LOOP SYSTEM

TECHNICAL DETAILS

MATERIAL
79% Polyamide
21% Elastane

STANDARD
AS/NZS 4399:2017
AATCC 183:2014

UVA/UVB PROTECTION
UPF 50+

SIZE
45 x 33 cm

CARE LABELLING



ORDER LOGISTICS

MASTERBOX single unit
DIMENSIONS 18,5 x 10 x 1 cm
WEIGHT 0,04 kg

FEATURED TECHNOLOGIES



NECK AND EAR PROTECTION ERGONOMIC FIT BREATHABLE UV PROTECTION

NECK SHIELD RW

WAC00032 | HI VIZ - WAC00033

OPTIONS



WAC00032-209
ANTHRACITE



WAC00033-222
ORANGE FLUO



WAC00033-221
YELLOW FLUO

COMPATIBLE WITH SERIES



SUPERPLASMA

NECK SHADE IS MOUNTED VIA HOOK-AND-LOOP SYSTEM

TECHNICAL DETAILS

MATERIAL
OUTER:
Synthetic fabric

SIZE
45 x 27 cm

MID-LAYER:
Zerowind®
membrane

INNER:
Micro-fleece

CARE LABELLING



ORDER LOGISTICS

MASTERBOX single unit
DIMENSIONS 32 x 21,5 x 0,5 cm
WEIGHT 0,06 kg

FEATURED TECHNOLOGIES



NECK AND EAR PROTECTION ERGONOMIC FIT WATERPROOF WINDPROOF WIND RESISTANT



COLD RESISTANT WATER RESISTANT BREATHABLE

ZENITH X | PRIMERO

NECK SHADE

WAC00013 | HI VIZ - WAC00025
AS/NZS 4399:2017 / AATCC 183:2014

OPTIONS

WAC00013-313
GREYWAC00025-222
ORANGE FLUOWAC00025-221
YELLOW FLUO

COMPATIBLE WITH SERIES



ZENITH X



PRIMERO

NECK SHADE IS MOUNTED VIA EASY ATTACHMENT SYSTEM

TECHNICAL DETAILS

MATERIAL
79% Polyamide
21% Elastane**STANDARD**
AS/NZS 4399:2017
AATCC 183:2014**UVA/UVB PROTECTION**
UPF 50+**SIZE**
45 x 27 cm

CARE LABELLING



ORDER LOGISTICS

MASTERBOX DIMENSIONS single unit
32 x 21 x 0,5 cm
WEIGHT 0,06 kg

FEATURED TECHNOLOGIES



NECK AND EAR PROTECTION



EARMUFF COMPATIBLE



BREATHABLE



UV PROTECTION



ERGONOMIC FIT



ADJUSTABLE SIDE COVERAGE



EASY ATTACHMENT SYSTEM

ZENITH X | PRIMERO

NECK SHIELD RW

WAC00030 | HI VIZ - WAC00031

OPTIONS

WAC00030-209
ANTHRACITEWAC00031-222
ORANGE FLUOWAC00031-221
YELLOW FLUO

COMPATIBLE WITH SERIES



ZENITH X



PRIMERO

NECK SHADE IS MOUNTED VIA EASY ATTACHMENT SYSTEM

TECHNICAL DETAILS

MATERIAL
OUTER:
Synthetic fabric**SIZE**
45 x 27 cmMID-LAYER:
Zerowind®
membraneINNER:
Micro-fleece

CARE LABELLING



ORDER LOGISTICS

MASTERBOX DIMENSIONS single unit
32 x 21,5 x 0,5 cm
WEIGHT 0,06 kg

FEATURED TECHNOLOGIES



EASY ATTACHMENT SYSTEM



NECK AND EAR PROTECTION



EARMUFF COMPATIBLE



ADJUSTABLE SIDE COVERAGE



WATER AND WIND PROOF COVERAGE



WIND RESISTANT



COLD RESISTANT



WATER RESISTANT



ERGONOMIC BREATHABLE FIT



BREATHABLE



UNIVERSAL
SUNSHIELD

WAC00036 | HI VIZ - WAC00037
AS/NZS 4399:2017 / AATCC 183:2014



OPTIONS



WAC00036-209
ANTHRACITE



WAC00037-222
ORANGE FLUO



WAC00037-221
YELLOW FLUO

COMPATIBLE WITH SERIES



ZENITH X



PRIMERO



SUPERPLASMA

TECHNICAL DETAILS

MATERIAL
Cordura™

STANDARD
AS/NZS 4399:2017
AATCC 183:2014

UVA/UVB PROTECTION
UPF 50+

SIZE
One size fits most

CARE LABELLING



ORDER LOGISTICS

MASTERBOX 30 pieces
DIMENSIONS 31 x 41 x 27 cm
WEIGHT 5 kg

FEATURED TECHNOLOGIES



UV PROTECTION



EARMUFF COMPATIBLE



UNDERSURFACE SUN REFLECTION

UNIVERSAL
WINTER BALACLAVA

WAC00069 | HI VIZ - WAC00070



OPTIONS



WAC00069-209
ANTHRACITE



WAC00070-222
ORANGE FLUO



WAC00070-221
YELLOW FLUO

COMPATIBLE WITH SERIES



ZENITH X



PRIMERO



SUPERPLASMA

TECHNICAL DETAILS

MATERIAL
OUTER:
Synthetic fabric

SIZE
One size fits most

MID-LAYER:
Zerowind®
membrane

INNER:
Micro-fleece

CARE LABELLING



ORDER LOGISTICS

MASTERBOX 100 pieces
DIMENSIONS 31 x 41 x 27 cm
WEIGHT 11 kg

FEATURED TECHNOLOGIES



FULL WEATHER PROTECTION



WATER RESISTANT



WIND RESISTANT



COLD RESISTANT



ERGONOMIC FIT



BREATHABLE



ADJUSTABLE FRONT CLOSURE



REFLECTIVE DETAILS

UNIVERSAL

WINTER PADDING

WPA00007



OPTIONS

WPA00007
BLACK

COMPATIBLE WITH SERIES



ZENITH X

PRIMERO

SUPERPLASMA

TECHNICAL DETAILS

MATERIAL93% Polyester
7% Polyurethane**SIZE**

One size fits most

CARE LABELLING



FEATURED TECHNOLOGIES



WINDPROOF



BREATHABLE



WIND RESISTANT



COLD RESISTANT

ORDER LOGISTICS

MASTERBOX

single unit

DIMENSIONS

25,5 x 15,5 x 5 cm

WEIGHT

0,06 kg

MOISTURE-
WICKINGWATER
RESISTANTFORM
FITTINGHYDRO OIL
REPELLENT

ZENITH X

MERINO WINTER PADDING

WPA00009



OPTIONS

WPA00009
BLACK

COMPATIBLE WITH SERIES



ZENITH X

FRONTAL CLICK-IN SYSTEM ALLOWS MOUNTING.

TECHNICAL DETAILS

MATERIALOUTER:
100% Polyester**SIZE**

One size fits most

INNER:

Merino Wool mix

CARE LABELLING



FEATURED TECHNOLOGIES



WINDPROOF



BREATHABLE



WIND RESISTANT



COLD RESISTANT

ORDER LOGISTICS

MASTERBOX

100 pieces

DIMENSIONS

42 x 66 x 43 cm

WEIGHT

7 kg

MOISTURE-
WICKINGFORM
FITTINGCLICK-IN
ATTACHMENT

KASK

HEADLAMPS

– 116

ILLUMINATING SOLUTIONS

Lighting accessories that attach to KASK helmets to brighten worker sight lines in low-light conditions.





OVERVIEW OF TECHNOLOGIES.

**ADVANCED FOCUS SYSTEM®**

Patented technology that allows a seamless transition from broad low beam to sharply focused high beam.

**DUAL POWER SOURCE**

Equipped with two battery types; a rechargeable lithium-ion battery and regular AA alkaline battery, to provide flexibility in a variety of applications.

**BLUE LIGHT**

Equipped with a blue LED light for use in fog and smoky conditions.

**EMERGENCY LIGHT**

Designed to turn on automatically when the power goes out and the headlamp is on its charging station.

**BLUETOOTH®**

Designed with Bluetooth® smartphone connection via app for personalized settings, timer, etc.

**GREEN LIGHT**

Equipped with a green LED light for increased run time and nighttime visibility.

**COOLING TECHNOLOGY**

Dissipates heat generated by extended headlamp use.

**MAGNETIC CHARGE SYSTEM**

Easily recharge the headlamp via a magnetic USB cable.



OPTISENSE® TECHNOLOGY

Technology that automatically adapts to the present light conditions –controlling the luminosity based on the reflecting surrounding light to avoid glare.



TRANSPORTATION LOCK

Prevents the light from being turned on inadvertently.



RAPID FOCUS

Mechanism that allows the light beam to be adjusted quickly.



RED READING LIGHT

Equipped with a red LED light for better nighttime visibility and emergency situations.



TEMPERATURE CONTROL SYSTEM

Technology that automatically lowers the output to protect from overheating.

KL-1

WLA00001



TECHNICAL DETAILS

Weight incl. Battery	98 g
Light output max - min	400 lm 20 lm
Runtime min - max	4 h 35 h
Battery	1* Li-ion (included) or 2*AA Alkaline 1.5V/ 2*AANIMH1.2V (not included)
IP class	IP54
Charging time	150 min (according to hardware used)
Light functions	Power, low power

Functions Low battery warning, charge indicator, battery indicator, rapid focus, red reading light


COMPATIBLE WITH SERIES



INCLUDES

- Headlamp + elastic band
- Overhead-band
- Charging cable
- Battery (to be installed)

FEATURED TECHNOLOGIES



ORDER LOGISTICS

MASTERBOX	24 pieces
DIMENSIONS	40 x 40 x 35 cm
WEIGHT	10 kg

KL-2

WLA00002



TECHNICAL DETAILS

Weight incl. Battery	139 g
Maximum light output boost	600 lm for 10"
Light output max - min	400 lm 170 lm 20 lm
Runtime min - max	7 h 10 h 60 h
Battery	1* Li-ion (included) or 2*AA Alkaline 1.5V/ 2*AANIMH1.2V (not included)
IP class	IP54
Charging time	270 min (according to hardware used)
Light functions	Low power, mid power, power, blink, boost

Functions Low battery warning; charge indicator; battery indicator; rapid focus; transport lock; red green and blue light (also fix bad break so battery doesn't break across the line.)


COMPATIBLE WITH SERIES



INCLUDES

- Headlamp + elastic band
- Overhead-band
- Charging cable
- Battery (to be installed)

FEATURED TECHNOLOGIES



ORDER LOGISTICS

MASTERBOX	24 pieces
DIMENSIONS	40 x 40 x 35 cm
WEIGHT	10 kg

HEADLAMPS

KL-3

WLA00003



TECHNICAL DETAILS

Weight incl. Battery	179 g
Maximum light output boost	1000 lm for 10"
Light output max - min	750 lm* 300 lm 10 lm
Runtime max - min	4 h 8 h 100 h
Battery	* 1 Li-ion (included) or ICR Li-ion 3.7V (not included)
IP class	IP54
Charging time	420 min (according to hardware used)
Light functions	Low power, mid power, power, boost, blink, SOS, strobe
Functions	Low battery warning; charge indicator; battery indicator; rapid focus; transport lock; red, green, and blue light; Bluetooth; automatic brightness adjustment

COMPATIBLE WITH SERIES



ZENITH X

PRIMERO

SUPERPLASMA


INCLUDES

Headlamp + elastic band
Overhead-band
Charging cable
Battery (to be installed)

ORDER LOGISTICS

MASTERBOX 24 pieces
DIMENSIONS 40 x 40 x 35 cm
WEIGHT 10 kg

FEATURED TECHNOLOGIES



MOUNTING OPTIONS

FRONT | ELASTIC BAND MOUNTING



KL-1 | KL-2 | KL-3

ZENITH X

PRIMERO

SUPERPLASMA

FRONT ATTACHMENT | FRONTAL MOUNTING



KL-1 | KL-2 | KL-3

KL-1 | KL-2 | KL-3
FRONT ATTACHMENT

ZENITH X

PRIMERO

TOP | OVERHEAD-BAND MOUNTING



KL-1 | KL-2 | KL-3

OVERHEAD-BAND

ZENITH X

PRIMERO

KL-1 | KL-2 | KL-3

OVERHEAD-BAND

EARMUFFS ADAPTERS

SUPERPLASMA

Headlamps spare parts are at page 127

OTHER ACCESSORIES

— 122

SMART SOLUTIONS

Securely attached accessories that allow working activities to be fast and practical.



ZENITH X | PRIMERO

BADGE HOLDER

WAC00048

OPTIONS

WAC00048
CLEAR

COMPATIBLE WITH SERIES



ZENITH X



PRIMERO

TECHNICAL DETAILS

MATERIALPC - transparent
PA - black**SIZE**

58 x 95 mm

DESCRIPTION

Attachment designed to securely connect badge to front attachment point of helmet while providing protection from splash risks.
It is mounted by removing frontal point cover and inserting badge slot.

ORDER LOGISTICS


MASTERBOX	30 pieces
DIMENSIONS	17,5 x 25 x 17,5 cm
WEIGHT	1 kg

UNIVERSAL

BADGE HOLDER LIGHT

WAC00042 | WAC00047

OPTIONS

WAC00042
SUPERPLASMAWAC00047
ZENITH X
PRIMERO

COMPATIBLE WITH SERIES



ZENITH X

PRIMERO

SUPERPLASMA

TECHNICAL DETAILS

MATERIALBADGE HOLDER:
Transparent PE

ELASTIC BAND:

75% polyester
25% natural rubber**SIZE**

58 x 95 mm

DESCRIPTION

Attachment for connecting badge via lamp clips to the front or back of helmet.
It is mounted by fixing elastic band loop to helmet lamp clips.

ORDER LOGISTICS

MASTERBOX	70 pieces
DIMENSIONS	17,5 x 25 x 17,5 cm
WEIGHT	1,5 kg



CUSTOM PRINTING AS EASY AS 1, 2, 3.

With high-quality printing and flexible order options, KASK helmets can be customized to outfit any team.

- High-quality graphics in up to seven colors
- Applied to standard or custom print areas
- Low minimum order quantities

Contact a KASK sales representative to learn about custom printing your helmets. Standard and Hi-Viz decal customization available.

1 CHOOSE YOUR HELMET



ZENITH X SERIES

ZENITH X



ZENITH X HI VIZ



PRIMERO SERIES

PRIMERO



PRIMERO HI VIZ



SUPERPLASMA SERIES

SUPERPLASMA



SUPERPLASMA HI VIZ



2 CHOOSE YOUR PRINTING AREA



FRONT
80 mm x 40 mm



SIDES
65 mm x 35 mm



BACK
38 mm x 24 mm



FRONT
80 mm x 55 mm



SIDES
80 mm x 30 mm



BACK
80 mm x 30 mm



FRONT
80 mm x 40 mm



SIDES
65 mm x 35 mm



BACK
80 mm x 32 mm

Every KASK helmet can be customized.

These are typical guidelines for graphic placement on KASK helmets.

KASK will work with you to help achieve your vision for your helmets.

3 CHOOSE YOUR GRAPHICS



PAD PRINTING

- High-quality color matching
- Each side can be a unique graphic
- Print in standard areas, or request custom print areas
- Durable in time

DECALS

- High-quality color matching
- Each decal can be customized
- Replaceable



SPARE PARTS.

HELMETS ZENITH X



INTERNAL PADDING
WPA00010



FRONT PADDING
WPA00011



COMFORT FIT FRONT PADDING
WPA00012



LAMP CLIPS BLACK
WAC00061-210



LAMP CLIPS LUMINESCENT
WAC00061-236



REFLECTIVE DECALS
WAC00062-252



CLEAR STICKERS
WAC00023



BADGE HOLDER
WAC00048 | WAC00047



EASY CLICK ADAPTERS
WAC00009



FULL FACE VISOR CARRIER
WAC00010



BRIM
WV100011



ADAPTIVE FIT SYSTEM WHEEL KIT
WAC00086

— 126

HELMETS PRIMERO



INTERNAL PADDING
WPA00019



FRONT PADDING
WPA00020




COMFORT FIT FRONT PADDING
WPA00013



LAMP CLIPS BLACK
WAC00082-210



LAMP CLIPS LUMINESCENT
WAC00082-236



REFLECTIVE DECALS
WAC00083-252



CLEAR STICKERS
WAC00023



BADGE HOLDER
WAC00048 | WAC00047



EASY CLICK ADAPTERS
WAC00009



FULL FACE VISOR CARRIER
WAC00010




BRIM
WV100011



QUICK/ERGO FIT SYSTEM GEAR KIT
WAC00085

HELMETS

SUPERPLASMA



**SUPERPLASMA AQ
PADDING**
WPA00002



**SUPERPLASMA HP
PADDING**
WPA00005




**SUPERPLASMA
PL PADDING**
WPA00003



**CLEAR
STICKERS**
WAC00018



**SUPERPLASMA AQ
REFLECTIVE STICKERS**
WAC00001



**BADGE HOLDER -
LIGHT**
WAC00042



**VISOR
SCREW SET**
WAC00005



**EARMUFFS
ADAPTERS**
WAC00003



**MESH VISOR
CARRIER**
WVI00005



**MESH VISOR
ADAPTERS**
WAC00008



**QUICK/ERGO FIT
SYSTEM GEAR KIT**
WAC00085

ACCESSORIES

HEADLAMPS



**KL-1 FRONT
ATTACHMENT**
WAC00064
(ZENITH X | PRIMERO)



**KL-2 FRONT
ATTACHMENT**
WAC00065
(ZENITH X | PRIMERO)



**KL-3 FRONT
ATTACHMENT**
WAC00066
(ZENITH X | PRIMERO)



**OVERHEAD-BAND
KL-1/KL-2/KL-3**
WAC00049



**HEADBAND
KL-1**
WAC00053



**HEADBAND
KL-2/KL-3**
WAC00054



**USB MAGNETIC
CHARGING CABLE**
WAC00059



**BASE PLATE
KL-1**
WAC00055



**BASE PLATE
KL-2**
WAC00056



**BASE PLATE
KL-3**
WAC00057



**BATTERY COVER
KL-1**
WAC00050



**BATTERY COVER
KL-2**
WAC00051



**BATTERY COVER
KL-3**
WAC00052



**BATTERY
KL-3**
WAC00058

ACCESSORIES

EARMUFFS



**HEARING
PADDING SC1+SC2**
WAC00006



**HEARING
PADDING SC3**
WAC00007



**EARMUFF
ATTACHMENT ARMS**
WAC00022

SALES SUPPORT.

PRINTED SUPPORT



SAFETY COLLECTION:
XDI00034-2024-EN | IT | DE | FR | ES-

CATALOGUE



ZENITH X:
XDI00017-ZENITH-X-EN | ENIT | DEFR | ESPT | NLDA | SVFI | NO | SV

PRIMERO:
XDI00017-PRIMERO-EN | IT | DE | FR | ES-2023-

SUPERPLASMA:
XDI00017-SUPERPLASMA-EN | IT | DE | FR | ES-2023-

PRODUCT FLYER

COLORBOOK



**HELMET SHELL
COLORBOOK PP**
XDI00135-PP



**HELMET SHELL
COLORBOOK ABS**
XDI00135-ABS



**REFLECTIVE DECALS
COLORBOOK**
XDI00136

STICKERS



**WINDOW
STICKERS**
(21 x 8 cm) | XME00127-213

— 128

DISPLAY



**STAND & HANG
HELMET DISPLAY**
(75 x 33 x 180 cm)
XDI00077



**4-HELMET
DISPLAY**
(28 x 40 x 183 cm)
XDI00119



**SINGLE HELMET
DISPLAY**
(50 x 30 x 37 cm)
XDI00032



**FLYER
DISPLAY**
(25 x 8 x 27 cm)
XDI00031



**WINDOW
DISPLAY**
(42 x 30 cm)

ZENITH X:
XDI00179- EN | IT | DE | FR | ES-

PRIMERO:
XDI00179- EN | IT | DE | FR | ES-

SUPERPLASMA:
XDI00181- EN | IT | DE | FR | ES-

SLAT WALL KIT



**SLAT WALL
HANGER**
XEV00006



**SLAT WALL
BANNER**
XEV00020



**HANGER
LABELS**
XEV00025-KASK MODEL



ROLL UP



**ROLL UP
INDUSTRIAL**
(200 x 80 cm)
XEV00016-501-2023-



**ROLL UP
ROPE ACCESS**
(200 x 80 cm)
XEV00016-505-2023-



**ROLL UP
CONSTRUCTION**
(200 x 80 cm)
XEV00016-506-2023-



**ROLL UP
TREE CLIMBING**
(200 x 80 cm)
XEV00016-504-2023-

HELMET BAGS



**DRAWSTRING
BAG SMALL**
WAC00026



**DRAWSTRING
BAG LARGE**
WAC00071



**REINFORCED
BAG**
WAC00029



**SELECTION
BAG**
UAC00007



**KASK BAG
SMALL**
UAC00006



**KASK BAG
BIG**
UAC00004

CLEANERS



LINER REFRESHER
100ML/3.4 FL OZ
SINGLE UNIT
WAC00040



LINER REFRESHER
100ML/3.4 FL OZ
8 PCS BOX
WAC00044



HELMET CLEANER
100ML/3.4 FL OZ
SINGLE UNIT
WAC00063



HELMET CLEANER
100ML/3.4 FL OZ
8 PCS BOX
WAC00072

KASK SERIES: THE FULL RANGE

– 130

PRODUCT OVERVIEW

Overview of all helmets and accessories that complete every KASK series - Zenith X, Primero and Superplasma.




KASK

EN 12492 CE 0101 KASK

ZENITH X FULL RANGE.

ZENITH X



All colors are available as made-to-order with Longer Chinstrap (↔ +10 cm): WHE00125 - Zenith X LC


ZENITH X HI VIZ



All colors are available as made-to-order with Longer Chinstrap (↔ +10 cm): WHE00126 - Zenith X LC HI VIZ

— 132

ZENITH X AIR



All colors are available as made-to-order with Longer Chinstrap (↔ +10 cm): WHE00127 - Zenith X AIR LC

ZENITH X AIR HI VIZ



All colors are available as made-to-order with Longer Chinstrap (↔ +10 cm): WHE00128 - Zenith X AIR LC HI VIZ

ZENITH X PL



ZENITH X PL HI VIZ



ZENITH X COMBO



ZENITH X AIR COMBO



ZENITH X PL COMBO



EYE & FACE PROTECTION

ZEN VISOR



ZEN FF VISOR



ZEN FACE SHIELD



ZEN MM | PM



ZEN FOAM



ARC VISOR CLASS 1 | 2 ERGO



ZENITH X KIT



WEATHER PROTECTION

NECK SHADE | HI VIZ



NECK SHIELD RW | HI VIZ



WINTER BALACLAVA | HI VIZ



SUNSHIELD | HI VIZ



MERINO | WINTER PADDING



HEADLAMPS

HEADLAMPS




LAMP FRONT ATTACHMENT



HEARING PROTECTION

EARMUFFS



HYGENE KIT



SPARE PARTS & SAFETY ACCESSORIES

ZENITH X SPARE PARTS



BADGE HOLDER



CLEANERS



PRIMERO FULL RANGE.

PRIMERO



PRIMERO HI VIZ



— 134

PRIMERO AIR



PRIMERO AIR HI VIZ



PRIMERO PL



PRIMERO PL HI VIZ



EYE & FACE PROTECTION

ZEN VISOR



ZEN FF VISOR



ZEN FACE SHIELD



ZEN MM | PM



ZEN FOAM



ARC VISOR CLASS 1 | 2 ERGO



PRIMERO KIT



WEATHER PROTECTION

NECK SHADE | HI VIZ



NECK SHIELD RW | HI VIZ



WINTER BALACLAVA | HI VIZ



SUNSHIELD | HI VIZ



WINTER PADDING



HEADLAMPS

HEADLAMPS




LAMP FRONT ATTACHMENT



HEARING PROTECTION

EARMUFFS



HYGENE KIT



SPARE PARTS & SAFETY ACCESSORIES

PRIMERO SPARE PARTS



BADGE HOLDER



CLEANERS



SUPERPLASMA FULL RANGE.

SUPERPLASMA AQ



SUPERPLASMA AQ HI VIZ



— 136

SUPERPLASMA HP



SUPERPLASMA HP VISOR



SUPERPLASMA PL



SUPERPLASMA PL HI VIZ



EYE & FACE PROTECTION

V2 PLUS VISOR



WV100018-500 CLEAR
WV100018-510 SMOKE
WV100018-520 SILVER MIRROR

VISOR FULL FACE



WV100003-500 CLEAR
WV100003-510 SMOKE
WV100003-520 SILVER MIRROR

FACE SHIELD



WV100024-500 CLEAR

MESH VISOR



WV100006 METAL MESH

WEATHER PROTECTION

NECK SHADE | HI VIZ



WAC00013-313 GREY
WAC00025-222 ORANGE FLUO
WAC00025-221 YELLOW FLUO

NECK SHIELD RW | HI VIZ



WAC00030-209 ANTHRACITE
WAC00031-222 ORANGE FLUO
WAC00031-221 YELLOW FLUO

WINTER BALACLAVA | HI VIZ



WAC00069-209 ANTHRACITE
WAC00070-222 ORANGE FLUO
WAC00070-221 YELLOW FLUO

SUNSHIELD | HI VIZ



WAC00036-209 ANTHRACITE
WAC00037-222 ORANGE FLUO
WAC00037-221 YELLOW FLUO

WINTER PADDING



WPA00007 WINTER PADDING

HEADLAMPS

HEADLAMPS



WLA00001 KL-1
WLA00002 KL-2
WLA00003 KL-3

HEARING PROTECTION

EARMUFFS



WHP00004 SC1 - GREEN
WHP00005 SC2 - YELLOW
WHP00006 SC3 - ORANGE

HYGIENE KIT



WAC00006-7 HYGIENE KIT EARMUFFS

SPARE PARTS & SAFETY ACCESSORIES

SUPERPLASMA SPARE PARTS



WPA00002 SUPERPLASMA AQ PADDING
WPA00005 SUPERPLASMA HP PADDING
WPA00003 SUPERPLASMA PL PADDING
WAC00001 REFLECTIVE STICKERS
WAC00005 VISOR SCREW SET
WAC00003 EARMUFFS ADAPTERS
WAC00008 MESH VISOR ADAPTER
WV100005 MESH VISOR CARRIER
WAC00085 QUICK/ERGO FIT SYSTEM GEAR KIT
WAC00018 CLEAR STICKERS

BADGE HOLDER LIGHT



WAC00042

CLEANERS



WAC00040 LINER REFRESHER
WAC00063 HELMET CLEANER



Reproduction forbidden. All rights reserved. Some of the products shown may differ from products supplied. Kask spa. reserves the right to make variations/ improvements of any of the product or data shown at any time, without notice. All the products are designed and engineered by Kask spa. Italy. The illustrations, descriptions and dimensions shown in this catalog are indicative. KASK reserves the right to modify or improve them in any moment. The colors have been reproduced with the accuracy allowed by the process of printing. KASK products are guaranteed not to involve child labor.



KASK S.p.A

Via Firenze, 5
24060 Chiuduno (BG) - Italy
T. +39 035 4427497
F. +39 035 4427704

info@kask.com



kask.com

DISTRIBUTED BY