



SAFETY



SAFETY



**Original Buff, SA.**

C/ França 16, 08700 Igualada  
Barcelona (Spain)  
tel.: +34 93 805 48 61  
fax: +34 93 804 47 02

safety@buff.com [www.buff.com/safety](http://www.buff.com/safety)

# SAFETY

COLLECTION

2026




SAFETY

In 1992 BUFF® created an icon: the multifunctional neckwear, first invented by our founder Joan Rojas, it set a new standard for neck and head textile accessories and positioned BUFF® as the market leaders.

In 2006 BUFF® Safety entered the scene, building upon the original designs taking them beyond sports and outdoors to bring the same degree of comfort and ingenuity to the workplace.


With more than 30 different product families our new collection of high-performance PPE headwear has been designed for a wide range of professionals across different industries, to protect them from the most common and dangerous occupational hazards while providing the comfort and performance that the BUFF® brand is renowned for.



<b>PRODUCTS YOU CAN FEEL GOOD ABOUT</b>	02
<b>CUSTOMIZATION SOLUTIONS</b>	04
<b>POS SOLUTIONS</b>	05
<b>HOW TO CHOOSE THE RIGHT PRODUCT</b>	07
<b>FIRE</b>	08
<b>COLD</b>	18
<b>WIND</b>	26
<b>SUN</b>	30
<b>CUT</b>	34
<b>OUTLET PRODUCTS</b>	36



# PRODUCTS YOU CAN FEEL GOOD ABOUT



[CLICK HERE](#)  
or scan the QR code to learn more about how our products are made.



in 2023 we announced our B Corp certification with a score of 105.7, well above industry average.



As of Spring 2024 all CoolNet UV® products are certified by 1% for the Planet.



**LOW IMPACT**

The seamless construction of our multifunctional neckwear creates zero fabric waste in the manufacturing process.



**78%**

78% of sales in 2024/25 came from more responsible materials, including recycled and natural materials.



**53M**

Since 2018 we have recycled more than 53 million plastic bottles into products.



**CARBON NEUTRAL**

In 2023, we achieved carbon neutrality in all our direct operations and are supporting a project to preserve the habitats of endangered species in the Yacumama Forest in Perú.

# CUSTOMIZATION SOLUTIONS

At BUFF®, we understand the importance of consistent and professional appearance in workwear and uniforms. That's why we offer a comprehensive range of customization options to help you seamlessly integrate your branding across our products. Whether you need simple logo applications, fully custom designs, or specialized modifications to meet industry standards and certifications, our team is ready to support your needs.

## CUSTOM TRANSFER

For clients who don't need a fully custom design and simply wish to add their company logo to our products, we offer high-quality heat transfer branding. Each transfer is carefully selected based on the fabric type or specific client requirements, and may feature flame resistance, reflectivity, anti-migration properties, photographic detail, or other specialized finishes.

- Minimum order quantity: 100u.
- Available for most of our products.




**ARM SLEEVES**  
Various German Police

**SUMMIT CAP**  
Polizei Saarland

## LOGO PROGRAM

If your idea is simple yet impactful and you don't require a full artwork design, download our template featuring various preset logo layouts and backgrounds. Mix and match them to create a unique product that perfectly aligns with your brand identity.

- Minimum order quantity: 50u
- Shorter leadtimes
- Only available for Original EcoStretch and CoolNet® UV.



**ORIGINAL ECOSTRETCH** Land Search and Rescue New Zealand

**ORIGINAL ECOSTRETCH** Polizei Saarland

**COOLNET UV®** Mechanix

**ORIGINAL** The Budd Group

## FULL ARTWORK

For clients seeking a fully customized look, we also offer complete artwork design services. You can choose to provide your own graphics, developed by your in-house design team, or collaborate with our experienced designers to create a bespoke design tailored to your brand and technical requirements.

- Minimum order quantity: 100u.
- Only available for certain products.

## SPECIAL REQUESTS

For special requirements beyond our standard product range or available customization options, please contact your Sales Area Manager for support. Below is a brief overview of additional capabilities we can offer:

- Custom Colors
- Size adaptations
- Custom packaging
- Other products from BUFF® Sport



**WINDPROOF**  
Guardia Civil

**COOLNET UV®**  
Ejército del Aire (España)



# POS SOLUTIONS

We're pleased to introduce our range of Point of Sale accessories, developed to help you showcase BUFF® products more effectively within your retail space. Designed with simplicity and functionality in mind, these display elements help create a stronger visual presence in-store without requiring significant space or complex setups. They are intended to draw the attention of customers, highlight key product features, and support an easier decision-making process at the point of purchase.

## COUNTER DISPLAY

Dimensions: 420 x 300 x 530 mm  
Material: Melamine board  
SKU: 558348



## FLOOR DISPLAY

Dimensions: 475 x 400 x 1805 mm  
Material: Melamine board  
SKU: 558349



## COUNTERTOP SIGNAGE

Dimensions: 21 x 29,7 cm (image) / 21 x 4,5 x 4,5 cm (base)  
Material: Foamboard (image) / Wood (base)  
SKU: 561008



Different print on each side

## CARDBOARD HEAD

Dimensions: 28 x 37 x 18 cm  
Material: paper pulp  
SKU: 521139



**VISIT OUR WEBSITE TO LEARN MORE**

**MORE INFO AT: [BUFF.COM/SAFETY](http://buff.com/safety)**

**ENGLISH**



Learn more about our company and product range by visiting our website: [www.buff.com/safety](http://www.buff.com/safety). You'll find detailed information regarding product specifications, technical features, PPE certifications, fabrics we use, etc.

**ESPAÑOL**



Entra en nuestra web [www.buff.com/safety/es](http://www.buff.com/safety/es) y descubre todos los detalles sobre nuestra marca y gama de productos Safety. Encontrarás información detallada sobre características técnicas de productos, especificaciones de producto, certificaciones de EPI, tejidos que usamos, etc.

**DEUTSCH**



Erfahren Sie mehr über unser Unternehmen und unsere Produktpalette auf unserer Website: [www.buff.com/safety/de](http://www.buff.com/safety/de) Sie finden detaillierte Informationen zu Produktspezifikationen, technischen Merkmalen, PSA-Zertifizierungen, von uns verwendete Materialien usw.

**FRANÇAIS**



Pour en savoir plus sur notre société et notre gamme de produits, visitez notre site web : [www.buff.com/safety/fr](http://www.buff.com/safety/fr) Vous y trouverez des informations détaillées sur les spécifications des produits, les caractéristiques techniques, les certifications EPI, les tissus utilisés, etc.

## HOW TO CHOOSE THE RIGHT PRODUCT

1 WHAT KIND OF RISK ARE YOU FACING?	2 WHAT PRODUCT DO YOU NEED?	3 HOW IS THE INTENSITY OF YOUR WORK?	4 FOR WHICH WEATHER CONDITION?		
--	--------------------------------	---	-----------------------------------	--	--

FIRE	FACE COVER	ACTIVE	MULTI*	Wildland Firefighter Mask	P. 09
	HOOD	MODERATE	MULTI*	Firefighter V-lite Hood	P. 10
				Firefighter Particulate Corex Hood	P. 11
				Firefighter Particulate Hood	P. 12
				Firefighter Hood	P. 14
	BALACLAVA	ACTIVE	MULTI*	Fire Resistant Balaclava	P. 14
				Arc Protect + FR Balaclava	P. 15
	HAT	ACTIVE	MULTI*	Fire Resistant Hat	P. 15
	NECKWEAR	ACTIVE	MULTI*	Fire Resistant Light	P. 16
				Fire Resistant	P. 16
Fire Resistant Polar				P. 17	
Arc Protect + FR				P. 17	

COLD	NECKWEAR	ACTIVE	COOL/UV RADIATION	Original EcoStretch	P. 19
			COOL	Thermonet®	P. 20
		MODERATE	COOL	Merino Wool	P. 21
			COLD	Merino Wool Thermal	P. 21
	HAT	ACTIVE	COOL	Polar	P. 22
			COOL	EcoStretch Hat	P. 23
		MODERATE	COLD	Polar Hat	P. 23
			COOL	Merino Wool 1 Layer Hat	P. 24
			COLD	Merino Wool Thermal Hat	P. 24
				Knitted & Polar Hat	P. 25
BALACLAVA	MODERATE	COLD	Polar Balaclava	P. 25	

WIND	NECKWEAR	MODERATE	COOL +	Windproof	P. 27
	HAT	MODERATE	COOL +	Windproof Hat	P. 28
	BALACLAVA	MODERATE	COOL +	Windproof Balaclava	P. 29


SUN	CAP	ACTIVE	UV RADIATION	Desert Cap	P. 31
				Summit Cap	P. 31
				Pack Cap	P. 32
	ARM SLEEVES	ACTIVE	UV RADIATION	Arm Sleeves	P. 32
	NECKWEAR	ACTIVE	UV RADIATION	CoolNet UV®	P. 33

CUTS	NECKWEAR	ACTIVE	MULTI*	Cut Resistant	P. 35
				Cut Resistant + FR Light	P. 35

\*As fire, arc flash and cut protection is the main purpose of these products, weather conditions are not so relevant. However, they also offer a good thermal insulation for cool/cold environments.

# FIRE

- Wildland Firefighter Mask 09
- Firefighter V-lite Hood 10
- Firefighter Particulate Corex Hood 11
- Firefighter Particulate Hood 12
- Firefighter Hood 14
- Fire Resistant Balaclava 14
- Arc Protect + FR Balaclava 15
- Fire Resistant Hat 15
- Fire Resistant Light 16
- Fire Resistant 16
- Fire Resistant Polar 17
- Arc Protect + FR 17



FACE COVER

## WILDLAND FIREFIGHTER MASK

WEATHER CONDITIONS MULTI  
ACTIVITY LEVEL ACTIVE

### COMPOSITION

**Outer Fabric:** 49% Viscose FR, 40% Meta-Aramide Nomex®, 7% Para-Aramide, 3% Elastane, 1% Antistatic Carbon Fiber.  
**Inner Fabric:** 60% FR Viscose, 27% Meta-Aramide Nomex®, 5% Para-Aramide, 7% Elastane, 1% Antistatic Carbon Fiber.  
**Trims:** Fire Resistant and Flame Retardant.

### CERTIFICATIONS



EN ISO 11612:2015


EN 1149-5:2018



MEETS PERFORMANCE REQUIREMENTS OF ISO 16073-9:2020 sections 6.1, 6.2, 6.3, 6.5, 6.6, and 6.8

A1+A2, B2, C1, F1

### FEATURES



Ideal for wildland firefighting, it prevents heat damage to the inner filter while protecting the firefighter's face and neck from burns.



139492.114.10.00  
Solid Yellow

**NEW**



WATCH VIDEO



# FIREFIGHTER V-LITE

WEATHER CONDITIONS **MULTI**  
ACTIVITY LEVEL **ACTIVE**

**COMPOSITION**

79% FR Viscose, 18% Meta-Aramide, 2% Para-Aramide, 1% Antistatic Carbon Fiber.

**CERTIFICATIONS**



**FEATURES**

FIRE RESISTANT	ANTISTATIC	RESPIRATORY MASK COMPATIBLE	COOLING EFFECT
COMFORT FIT FACE OPENING	HELMET COMPATIBLE	DOUBLE LAYER	MOISTURE WICKING FABRIC

**HEIQ SMART TEMP**



**NEW**

139496.799.10.00  
Solid Paris Blue

# FIREFIGHTER PARTICULATE COREX

WEATHER CONDITIONS **MULTI**  
ACTIVITY LEVEL **ACTIVE**

**COMPOSITION**

• Inner and outer fabric: 56% Meta-Aramide Nomex®, 31% FR Viscose, 6% Polyamide, 3% Para-Aramide Kevlar®, 2% Antistatic Carbon Fiber, 2% Elastane.  
• Membrane: 100% PU

**CERTIFICATIONS**



**FABRICS**



**FEATURES**

FIRE RESISTANT	ANTISTATIC	RESPIRATORY MASK COMPATIBLE	COOLING EFFECT
COMFORT FIT FACE OPENING	HELMET COMPATIBLE	MOISTURE WICKING FABRIC	

**PARTICLE BARRIER**

The entire hood fabric is fully laminated with particle-blocking membrane.

**PARTICULATES**



**NEW**



139495.799.10.00  
Solid Paris Blue



139495.343.10.00  
Solid Desert Tan

This membrane offers high-efficiency particulate blocking to help protect firefighters from hazardous smoke and toxic airborne particles. Unlike fibrous or porous technologies, the solid film construction of the membrane ensures contaminants do not become trapped within the structure, even after repeated use. With 4-way stretch, the membrane conforms to the shape of the head for a secure, flexible fit. Its lightweight and flexible nature ensures freedom of movement and comfort without adding bulk or stiffness to the hood.



# FIREFIGHTER PARTICULATE

WEATHER CONDITIONS **MULTI**  
ACTIVITY LEVEL **ACTIVE**

## COMPOSITION

- Inner and outer fabric: 56% Meta-Aramid Nomex®, 31% FR Viscose, 6% Polyamide, 3% Para-Aramid Kevlar®, 2% Antistatic Carbon Fiber, 2% Elastane.
- Membrane: 100% Nomex® Nano Flex.

## CERTIFICATIONS



## FABRICS

•DUPONT•  
**Nomex**  
•DUPONT•  
**Nomex**  
Nano Flex

## FEATURES

FIRE RESISTANT	ANTISTATIC	RESPIRATORY MASK COMPATIBLE	COOLING EFFECT
COMFORT FIT FACE OPENING	HELMET COMPATIBLE	MOISTURE WICKING FABRIC	REDUCED RUSTLING NOISE
PARTICLE BARRIER	HEIQ SMART TEMP	High absorption rate to remove sweat quickly. High evaporation rate to drive water out of thermal liner. Low amount of water absorbed to reduce steam burn and gear weight.	

## CRITICAL ZONE COVERAGE

Nomex Nano Flex® laminated fabric in areas with more exposure to particulates.



127741.799.10.00  
Solid Paris Blue



127741.343.10.00  
Solid Desert Tan



138157.799.10.00  
Solid Paris Blue



138157.343.10.00  
Solid Desert Tan



## FULL COVERAGE

Nomex Nano Flex® laminated all over the fabric.



## FULL COVERAGE

Nomex Nano Flex® laminated all over the fabric.




138157.799.10.00  
Solid Paris Blue



138157.343.10.00  
Solid Desert Tan

•DUPONT•

**Nomex**  
Nano Flex



Nomex® Nano Flex was developed to help make products like firefighter hoods more protective against particles without compromising comfort. A highly breathable FR material with exceptional elasticity and superior particle barrier performance, Nomex® Nano Flex is also thinner and lighter weight than other FR materials. The addition of Nomex® Nano Flex to a firefighter hood composite structure provides improved particle barrier protection in the neckline and upper jaw area that historically are known to be the most vulnerable and least protected. In fact, it results in up to a 4X increase in particle barrier efficiency.

## CRITICAL ZONE COVERAGE

Nomex Nano Flex® laminated fabric in areas with more exposure to particulates.



127741.799.10.00  
Solid Paris Blue

127741.343.10.00  
Solid Desert Tan



WATCH VIDEO



# FIREFIGHTER

WEATHER CONDITIONS **MULTI**  
ACTIVITY LEVEL **ACTIVE**

**COMPOSITION**

56% Meta-Aramide Nomex®, 31% FR Viscose, 6% Polyamide, 3% Para-Aramide Kevlar®, 2% Antistatic Carbon Fiber, 2% Elastane.

**CERTIFICATIONS**

EN 13911:2017 EN 1149-5:2018

**FABRICS**

**•DUPONT•**  
**Nomex.**

**FEATURES**

FIRE RESISTANT	ANTISTATIC	RESPIRATORY MASK COMPATIBLE	COOLING EFFECT
COMFORT FIT FACE OPENING	HELMET COMPATIBLE	DOUBLE LAYER	MOISTURE WICKING FABRIC

**HEIQ SMART TEMP**

High absorption rate to remove sweat quickly. High evaporation rate to drive water out of thermal liner. Low amount of water absorbed to reduce steam burn and gear weight.



119477.799.10.00  
Solid Paris Blue

WATCH VIDEO



# ARC PROTECT + FR

WEATHER CONDITIONS **MULTI**  
ACTIVITY LEVEL **ACTIVE**

**COMPOSITION**

44% Meta-Aramide Nomex®, 42% FR Viscose, 6% Tencel, 3% Para-Aramide Kevlar®, 3% Antistatic Carbon Fiber, 2% Elastane.

**CERTIFICATIONS**

EN ISO 11612:2015 EN 1149-5:2018

BOX TEST 4kA ACCORDING TO EN 61482-1-2:2014

ATPV 16 cal/cm² ACCORDING TO IEC 61482-1-1:2019

MEETS REQUIREMENTS OF PERFORMANCE SPECIFICATIONS OF NFPA 2112/12 AND NFPA 70E

FABRIC TESTED ACCORDING TO ASTM F1506-15 AND ASTM F1959/F1959M-14e1 COMPLIANCE HRC 2. 21 CAL/CM².

**FEATURES**

FIRE RESISTANT	ANTISTATIC	ARC FLASH RATED	COMFORT FIT FACE OPENING
HELMET COMPATIBLE	FABRIC WEIGHT 400 g/m²	MOISTURE WICKING FABRIC	QUICK DRY FABRIC

**HEIQ SMART TEMP**

COOLING EFFECT

Includes a transfer of different PPE certification icons.



110788.799.10.00  
Solid Paris Blue

WATCH VIDEO



# FIRE RESISTANT

WEATHER CONDITIONS **MULTI**  
ACTIVITY LEVEL **ACTIVE**

**COMPOSITION**

88% Meta-Aramide Nomex®, 5% Para-Aramide Kevlar®, 4% Antistatic Carbon Fiber, 3% Elastane.

**CERTIFICATIONS**

EN ISO 11612:2015 EN 1149-5:2018

**FABRICS**

**•DUPONT•**  
**Nomex.**

**FEATURES**

FIRE RESISTANT	ANTISTATIC	QUICK DRY FABRIC	MOISTURE WICKING FABRIC
FABRIC WEIGHT 185 g/m²	COMFORT FIT FACE OPENING	HELMET COMPATIBLE	



134086.799.10.00  
Solid Paris Blue

Includes a transfer of different PPE certification icons.

# FIRE RESISTANT

WEATHER CONDITIONS **MULTI**  
ACTIVITY LEVEL **ACTIVE**

**COMPOSITION**

87% Meta-Aramide Nomex®, 5% Para-Aramide Kevlar®, 4% Antistatic Carbon Fiber, 4% Elastane.

**CERTIFICATIONS**

EN ISO 11612:2015 EN 1149-5:2018

**FABRICS**

**•DUPONT•**  
**Nomex.**

**FEATURES**

FIRE RESISTANT	ANTISTATIC	QUICK DRY FABRIC	MOISTURE WICKING FABRIC
FABRIC WEIGHT 275 g/m²	HELMET COMPATIBLE		

Includes a transfer of different PPE certification icons.



123647.799.10.00  
Solid Paris Blue

# FIRE RESISTANT LIGHT

WEATHER CONDITIONS **MULTI**  
ACTIVITY LEVEL **ACTIVE**

**COMPOSITION**

88% Meta-Aramid Nomex®, 5% Para-Aramid Kevlar®, 4% Antistatic Carbon Fiber, 3% Elastane.

**CERTIFICATIONS**



**FABRICS**



**FEATURES**



134085.999.10.00  
Solid Black  
**NEW**



134085.799.10.00  
Solid Paris Blue

Includes a transfer of different PPE certification icons.

WATCH VIDEO




# FIRE RESISTANT POLAR

WEATHER CONDITIONS **MULTI**  
ACTIVITY LEVEL **MODERATE**

**COMPOSITION**

**Knitted Fabric:** 87% Meta-Aramid Nomex®, 5% Para-Aramid Kevlar®, 4% Antistatic Carbon Fiber, 4% Elastane.  
**Fleece:** 58% FR Viscose, 23% Meta-Aramid, 17% Polyester, 2% Antistatic Fiber.


**CERTIFICATIONS**



**FABRICS**



**FEATURES**



107659.00  
Paris Blue  
Grey Vigoreax Fleece



108515.00  
Forest Green  
Grey Vigoreax Fleece

Includes a transfer of different PPE certification icons.


# FIRE RESISTANT

WEATHER CONDITIONS **MULTI**  
ACTIVITY LEVEL **ACTIVE**

**COMPOSITION**

87% Meta-Aramid Nomex®, 5% Para-Aramid Kevlar®, 4% Antistatic Carbon Fiber, 4% Elastane.

**CERTIFICATIONS**



**FABRICS**



**FEATURES**



FABRIC TESTED ACCORDING TO ASTM F1506-15 AND ASTM F1959/F1959M-14e1 COMPLIANCE HRC 2.10 CAL/CM².

Includes a transfer of different PPE certification icons.



101329.00  
Paris Blue



101330.00  
Forest Green



134230.441.10.00  
Flame Red



101656.00  
Desert Tan

WATCH VIDEO




# ARC PROTECT + FR

WEATHER CONDITIONS **MULTI**  
ACTIVITY LEVEL **ACTIVE**

**COMPOSITION**

44% Meta-Aramid Nomex®, 42% FR Viscose, 6% Tencel, 3% Para-Aramid Kevlar®, 3% Antistatic Carbon Fiber, 2% Elastane.

**CERTIFICATIONS**



MEETS REQUIREMENTS OF PERFORMANCE SPECIFICATIONS OF NFPA 2112/12 AND NFPA 70E

FABRIC TESTED ACCORDING TO ASTM F1506-15 AND ASTM F1959/F1959M-14e1 COMPLIANCE HRC 2.21 CAL/CM².

**FEATURES**



110787.799.10.00  
Solid Paris Blue

Includes a transfer of different PPE certification icons.

WATCH VIDEO



# COLD

- Original EcoStretch 19
- ThermoNet® 20
- Merino Wool 21
- Merino Wool Thermal 21
- Polar 22
- EcoStretch Hat 23
- Polar Hat 23
- Merino Wool 1 Layer Hat 24
- Merino Wool Thermal Hat 24
- Knitted & Polar Hat 25
- Polar Balaclava 25



## MULTIFUNCTIONAL NECKWEAR

# ORIGINAL ECOSTRETCH

WEATHER CONDITIONS **COOL**  
ACTIVITY LEVEL **ACTIVE**

### COMPOSITION

95% Recycled Polyester, 5% Elastane.

### CERTIFICATIONS



CAT I  
EN ISO 13688/13



UPF 50  
SUN PROTECTION



COOL  
ENVIRONMENTS



VISIBILITY\*  
ONLY APPLIES TO  
FLUOR DESIGNS AND/  
OR WITH REFLECTIVE  
ELEMENTS

### FEATURES



SEAMLESS  
4-WAY STRETCH



UPF 50  
SUN PROTECTION



MADE WITH 95%  
RECYCLED CONTENT



MULTIFUNCTIONAL



MOISTURE  
WICKING FABRIC



SEAL OF  
RECOMMENDATION  
EFFECTIVE  
SUN PROTECTION FOR  
COVERED AREAS ONLY  
FABRIC

**3M Scotchlite™**  
Reflective Material  
\*some designs



119403.999.10.00  
Solid Black



119403.787.10.00  
Solid Navy



119403.723.10.00  
Solid Royal



119403.835.10.00  
Solid Steingrauoliv

**NEW**



119403.339.10.00  
Solid Coyote Brown

**NEW**



119403.211.10.00  
Solid Orange Fluor



119403.117.10.00  
Solid Yellow Fluor



119404.999.10.00  
R-Black  
3M Scotchlite™  
Reflective Material



119404.211.10.00  
R-Orange Fluor  
3M Scotchlite™  
Reflective Material



119404.117.10.00  
R-Yellow Fluor  
3M Scotchlite™  
Reflective Material



134070.555.10.00  
Acher Multi



134072.937.10.00  
Tivi Grey



134073.605.10.00  
Lively Purple

# THERMONET®


WEATHER CONDITIONS **COOL**

ACTIVITY LEVEL **ACTIVE**

**COMPOSITION**

53% Polyester (Primaloft®), 43% Polyester (Recycled), 4% Elastane.

**CERTIFICATIONS**



**FEATURES**



**FABRICS**



123628.999.10.00  
Solid Black



123628.787.10.00  
Solid Navy

WATCH VIDEO



# MERINO WOOL

WEATHER CONDITIONS **COOL**

ACTIVITY LEVEL **MODERATE**


**COMPOSITION**

100% Merino Wool.

**CERTIFICATIONS**



**FABRICS**



**FEATURES**



108500.00  
Solid Black



108501.00  
Solid Navy



108502.00  
Solid Cedar



139475.835.10.00  
Solid Steingrauliv

NEW



139475.339.10.00  
Solid Coyote Brown

NEW

MULTIFUNCTIONAL NECKWEAR

# MERINO WOOL THERMAL

WEATHER CONDITIONS **COOL +**

ACTIVITY LEVEL **MODERATE**


**COMPOSITION**

100% Merino Wool.

**CERTIFICATIONS**



**FABRICS**



**FEATURES**



108503.00  
Solid Black



108504.00  
Solid Navy



108505.00  
Solid Cedar

WATCH VIDEO




# POLAR

WEATHER CONDITIONS **COLD**  
ACTIVITY LEVEL **MODERATE**

**COMPOSITION**

Knitted Fabric: 95% Recycled Polyester, 5% Elastane.  
Fleece: 100% Recycled Polyester


**CERTIFICATIONS**



**FABRICS**



**FEATURES**




# ECOSTRETCH

WEATHER CONDITIONS **COOL**  
ACTIVITY LEVEL **ACTIVE**

**COMPOSITION**

95% Recycled Polyester, 5% Elastane.

**CERTIFICATIONS**



**FEATURES**



HAT


# POLAR

WEATHER CONDITIONS **COLD**  
ACTIVITY LEVEL **MODERATE**

**COMPOSITION**

100% Recycled Polyester.

**CERTIFICATIONS**



**FEATURES**



**FABRICS**




# MERINO WOOL 1 LAYER

WEATHER CONDITIONS **COOL**  
ACTIVITY LEVEL **MODERATE**

**COMPOSITION**  
100% Merino Wool.


**CERTIFICATIONS**



**FABRICS**



**FEATURES**



111476.999.10.00  
Solid Black



111476.787.10.00  
Solid Navy




111476.847.10.00  
Solid Cedar

# KNITTED & POLAR

WEATHER CONDITIONS **COLD**  
ACTIVITY LEVEL **MODERATE**

**COMPOSITION**  
• Outer Fabric: 100% Acrylic.  
• Fleece: 100% Recycled Polyester.

**CERTIFICATIONS**



**FABRICS**



**FEATURES**



111474.999.10.00  
Solid Black  
Black PRIMALOFT BIO



111474.790.10.00  
Solid Dark Navy  
Dark Navy PRIMALOFT BIO




111474.846.10.00  
Solid Military  
Black PRIMALOFT BIO

# MERINO WOOL THERMAL

WEATHER CONDITIONS **COLD**  
ACTIVITY LEVEL **MODERATE**

**COMPOSITION**  
100% Merino Wool.

**CERTIFICATIONS**



**FABRICS**



**FEATURES**



111537.999.10.00  
Solid Black



111537.787.10.00  
Solid Navy




111537.847.10.00  
Solid Cedar

# POLAR

WEATHER CONDITIONS **COLD**  
ACTIVITY LEVEL **MODERATE**

**COMPOSITION**  
100% Recycled Polyester.

**CERTIFICATIONS**



**FABRICS**




**FEATURES**



130782.999.10.00  
Solid Black  
Black PRIMALOFT BIO

# WIND

- Windproof 27
- Windproof Hat 28
- Windproof Balaclava 29



## MULTIFUNCTIONAL NECKWEAR

# WINDPROOF

WEATHER CONDITIONS **COOL +**

ACTIVITY LEVEL **MODERATE**

### COMPOSITION

Knitted fabric: 95% Recycled Polyester, 5% Elastane.  
 Pertex® Fabric: 100% Recycled Polyester.

### CERTIFICATIONS



CAT I  
EN ISO 13688/13



WIND ENVIRONMENTS  
\*ONLY APPLIES TO WINDPROOF FABRIC



COOL ENVIRONMENTS  
\*ONLY APPLIES TO WINDPROOF FABRIC



COOL ENVIRONMENTS  
APPLIES TO THE REST OF FABRICS



VISIBILITY  
ONLY APPLIES TO FLUOR DESIGNS AND/OR WITH REFLECTIVE ELEMENTS

### FABRICS

**PERTEX:** PERTEX® AEROS WINDPROOF TECHNOLOGY  
**AEROS**

### FEATURES



WIND RESISTANT FABRIC



MADE WITH 97% RECYCLED POLYESTER



4-WAY STRETCH UPPER



MULTIFUNCTIONAL



WATER REPELLENT



DOUBLE LAYER



139476.999.10.00  
Solid Black  
Black PERTEX



139476.787.10.00  
Solid Navy  
Navy PERTEX



139477.787.10.00  
Solid Navy Reflective  
Navy PERTEX 3M Scotchlite™



139477.117.10.00  
Solid Yellow Fluor Reflective  
Navy PERTEX 3M Scotchlite™

Knitted fabric also available in the Original EcoStretch solid colors under request (MOQ 100 units)



# WINDPROOF

WEATHER CONDITIONS **COOL +**  
ACTIVITY LEVEL **MODERATE**

### COMPOSITION

100% Recycled Polyester.

### CERTIFICATIONS



### FABRICS

**PERTEX:**  
AEROS  
PERTEX® AEROS WINDPROOF TECHNOLOGY

### FEATURES



139478.999.25.00 Solid Black M/L  
139478.999.30.00 Solid Black L/XL  
Solid Black **PERTEX:**  
AEROS

# WINDPROOF

WEATHER CONDITIONS **COOL +**  
ACTIVITY LEVEL **MODERATE**

### COMPOSITION

100% Recycled Polyester.


### CERTIFICATIONS



### FABRICS

**PERTEX:**  
AEROS  
PERTEX® AEROS WINDPROOF TECHNOLOGY

### FEATURES




139479.999.25.00 Solid Black M/L  
139479.999.30.00 Solid Black L/XL  
Solid Black **PERTEX:**  
AEROS



# SUN

- Desert Cap 31
- Summit Cap 31
- Pack Cap 32
- Arm Sleeves 32
- CoolNet UV® 33



## CAP

# DESERT CAP


WEATHER CONDITIONS **UV RADIATION**

ACTIVITY LEVEL **ACTIVE**


### COMPOSITION

**Crown And Bill:** 100% Recycled Nylon,  
**Undervisor:** 100% Recycled Nylon,  
**Cape:** 100% Recycled Nylon,  
**Elastic Sweatband:** 51% Nylon, 31% Polyester, 18% Elastane.

### FEATURES



### CERTIFICATIONS



139497.302.10.00  
Solid Sand

**NEW**



Multiposition neck cape for enhanced airflow, comfort and uv rays protection.

## CAP

# SUMMIT CAP


WEATHER CONDITIONS **SUN**

ACTIVITY LEVEL **ACTIVE**

### COMPOSITION

**Crown and Visor:** 90% Nylon, 10% Elastane.  
**Inner sweatband:** 100% Polyester.

### FEATURES



### CERTIFICATIONS



136152.999.20.00  
Black S/M

136152.999.30.00  
Black L/XL



136779.999.20.00  
Black S/M

136779.999.30.00  
Black L/XL



136779.787.20.00  
Navy S/M

136779.787.30.00  
Navy L/XL

# PACK CAP

WEATHER CONDITIONS UV RADIATION  
ACTIVITY LEVEL ACTIVE

## COMPOSITION

**Black Crown:** 90% Recycled Polyamide, 10% Elastane.  
**Navy / Fluor Crown:** 79% Recycled Polyamide, 21% Elastane.  
**Mesh and Inner sweatband:** 94% Recycled Polyester, 6% Elastane.  
**Visor:** 100% Polyurethane.

## CERTIFICATIONS



UPF 50  
SUN PROTECTION  
NOT APPLICABLE TO  
BREATHABLE SIDE PANELS  
AND HOLE AREAS.

## FABRICS



FASTWICK  
EXTRAPLUS

## FEATURES



UPF 50  
SUN PROTECTION



PACKABLE  
CONSTRUCTION



MADE WITH  
RECYCLED  
MATERIALS



LIGHTWEIGHT  
BREATHABLE  
FABRIC



FLEXIBLE  
VISOR



QUICK-DRY  
FABRIC



ADJUSTABLE  
DRAWSTRING  
CLOSURE



EASY TO PACK AND CARRY

\* Also available in XL size under demand (58 cm - 62 cm).



116069.999.10.00  
Solid Black



116069.787.10.00  
Solid Navy

## WATCH VIDEO



# ARM SLEEVES

WEATHER CONDITIONS UV RADIATION  
ACTIVITY LEVEL ACTIVE

## COMPOSITION

**Fabric:** 86% Polyester, 14% Elastane.  
**Elastic Tape:** 80% Polyester, 11% Elastane, 9% Nylon.

## CERTIFICATIONS



UNE-EN 17353:2020



UPF 50  
SUN PROTECTION



TYPE A EQUIPMENT  
FOR DAYLIGHT  
(ONLY APPLIES TO  
THE YELLOW FLUOR)



VISIBILITY  
(ONLY APPLIES TO  
THE ORANGE FLUOR)

## FEATURES



UPF 50  
SUN PROTECTION



QUICK-DRY  
FABRIC



SILICONE GRIP FOR  
STAY-IN-PLACE FIT



4-WAY STRETCH  
CONSTRUCTION



SMART MINT  
COOLING AND NATURAL  
ODOR CONTROL



MOISTURE  
WICKING FABRIC



129292.211.25.00  
Solid Orange Fluor M

129292.211.30.00  
Solid Orange Fluor L

129292.211.35.00  
Solid Orange Fluor XL



129292.117.25.00  
Solid Yellow Fluor M

129292.117.30.00  
Solid Yellow Fluor L

129292.117.35.00  
Solid Yellow Fluor XL



129292.999.25.00  
Solid Black M

129292.999.30.00  
Solid Black L

129292.999.35.00  
Solid Black XL

# COOLNET UV®

WEATHER CONDITIONS UV RADIATION  
ACTIVITY LEVEL ACTIVE

## COMPOSITION

95% Recycled Polyester, 5% Elastane.

## CERTIFICATIONS



UPF 50  
SUN PROTECTION



VISIBILITY  
ONLY APPLIES TO  
FLUOR DESIGNS AND/  
OR WITH REFLECTIVE  
ELEMENTS.

## FABRICS

COOLNET UV®

## FEATURES



UPF 50  
SUN PROTECTION



SMART MINT  
COOLING AND NATURAL  
ODOR CONTROL



ULTRALIGHT  
QUICK-DRY FABRIC

3M Scotchlite™  
Reflective Material  
\*some designs



MULTIFUNCTIONAL



COOLING  
EFFECT



MOISTURE  
WICKING  
FABRIC



SEAMLESS  
4-WAY STRETCH



MADE WITH 95%  
RECYCLED CONTENT



SKIN  
CANCER  
SEAL OF  
RECOMMENDATION  
EFFECTIVE  
SUN PROTECTION FOR  
COVERED AREAS ONLY  
FABRIC



119301.999.10.00  
Solid Black



119301.787.10.00  
Solid Navy



119301.846.10.00  
Solid Military



119301.339.10.00  
Solid Coyote



119301.211.10.00  
Solid Orange Fluor



119301.117.10.00  
Solid Yellow Fluor




119302.999.10.00  
R-Solid Black



119302.211.10.00  
R-Solid Orange Fluor



119302.117.10.00  
R-Solid Yellow Fluor



119306.204.10.00  
Blaze Orange



119305.999.10.00  
Camo Black



119303.303.10.00  
Arid Camo



134083.117.10.00  
Exty Yelow Fluor



134084.555.10.00  
Ulia Multi

## WATCH VIDEO



# CUT

- Cut Resistant 35
- Cut Resistant + FR Light 35



## NECKWEAR

# CUT RESISTANT

WEATHER CONDITIONS **MULTI**  
ACTIVITY LEVEL **ACTIVE**

### COMPOSITION

**Main fabric:** 95% Recycled Polyester, 5 % Elastane.

**Inner lining:** 45% Polyethylene Dyneema®, 30% Glass fiber with PTFE Coating, 20% Polyamide, 5% Elastane.

### FEATURES



### CERTIFICATIONS



**LEVEL D** of cut resistance by sharp objects according to EN 388:2016+A1:2018

### FABRICS



119417.787.10.00  
Solid Navy

WATCH VIDEO



Knitted fabric also available in the Original EcoStretch solid colors under request (MOQ 100 units)

## NECKWEAR

# CUT RESISTANT + FR LIGHT

WEATHER CONDITIONS **MULTI**  
ACTIVITY LEVEL **ACTIVE**

### COMPOSITION

**Main fabric:** 88% Meta-Aramide Nomex®, 5% Para-Aramide Kevlar®, 4% Antistatic Carbon Fiber, 3% Elastane.

**Inner fabric:** 45% Polyethylene Dyneema®, 30% Glass fiber + PTFE Coating, 20% Polyamide, 5% Elastane.

### FEATURES



### CERTIFICATIONS



EN ISO 11612:2015 EN 1149-5:2018



**LEVEL E** of cut resistance by sharp objects according to EN 388:2016+A1:2018

### FABRICS



134088.799.10.00  
Solid Paris Blue

WATCH VIDEO



# OUTLET PRODUCTS

Don't miss out our selection of SKUs at special discounted prices, only available until end of stock. This is a great opportunity to secure high-quality PPE products at exceptional value. For a full list of available items and pricing details, please contact your Sales Area Manager directly.

## ORIGINAL ECOSTRETCH



119403.846.10.00  
Solid Military



119403.000.10.00  
Solid White



129028.555.10.00  
Galvanic Multi



134069.809.10.00  
Cyres Forest

## MERINO WOOL BALACLAVA



124200.999.10.00  
Solid Black

## THERMONET®



123628.211.10.00  
Solid Orange Fluor



123628.117.10.00  
Solid Yellow Fluor



134076.809.10.00  
Cyres Forest  
Bark Heather



130773.846.10.00  
Solid Military  
Bark Heather

## POLAR

## ECOSTRETCH® HAT



134078.787.10.00  
Acher Navy

## POLAR HAT



130783.117.10.00  
Solid Yellow Fluor  
Yellow Fluor

## UNDERHELMET



120234.999.20.00  
Solid Black S/M

120234.999.30.00  
Solid Black L/XL

## PACK CAP



116069.117.10.00  
Solid Yellow Fluor

## PACK BIMINI CAP



124202.787.10.00  
Solid Navy



124202.302.10.00  
Solid Sand



124202.211.10.00  
Solid Orange Fluor



124202.117.10.00  
Solid Yellow Fluor



## COMPANY CERTIFICATIONS

